

BSgenome.Cfamiliaris.UCSC.canFam2

October 16, 2009

Cfamiliaris

Canis lupus familiaris full genome (UCSC version canFam2)

Description

Canis lupus familiaris full genome as provided by UCSC (canFam2, May 2005) and stored in Biostrings objects.

Note

This BSgenome data package was made from the following source data files:

```
sequences: chromFa.tar.gz
from http://hgdownload.cse.ucsc.edu/goldenPath/canFam2/bigZips/
AGAPS masks: all the chr*_gap.txt.gz files from ftp://hgdownload.cse.ucsc.edu/go
RM masks: http://hgdownload.cse.ucsc.edu/goldenPath/canFam2/bigZips/chromOut.tar
TRF masks: http://hgdownload.cse.ucsc.edu/goldenPath/canFam2/bigZips/chromTrf.ta
```

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

Author(s)

H. Pages

See Also

[BSgenome-class](#), [DNASTring-class](#), [available.genomes](#), [BSgenomeForge](#)

Examples

```
Cfamiliaris
seqlengths(Cfamiliaris)
Cfamiliaris$chr1 # same as Cfamiliaris[["chr1"]]

if ("AGAPS" %in% masknames(Cfamiliaris)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
```

```
## Replace all masks by the inverted AGAPS mask
masks(seq) <- gaps(masks(seq) ["AGAPS"])
unique_letters <- uniqueLetters(seq)
if (any(unique_letters != "N"))
  stop("assembly gaps contain more than just Ns")
}

## A message will be printed each time a sequence is removed
## from the cache:
options(verbose=TRUE)

for (seqname in seqnames(Cfamiliaris)) {
  cat("Checking sequence", seqname, "... ")
  seq <- Cfamiliaris[[seqname]]
  checkOnlyNsInGaps(seq)
  cat("OK\n")
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

Index

*Topic **data**

Cfamiliaris, [1](#)

*Topic **package**

Cfamiliaris, [1](#)

available.genomes, [1](#)

BSgenome-class, [1](#)

BSgenome.Cfamiliaris.UCSC.canFam2

([Cfamiliaris](#)), [1](#)

BSgenome.Cfamiliaris.UCSC.canFam2-package

([Cfamiliaris](#)), [1](#)

BSgenomeForge, [1](#)

Cfamiliaris, [1](#)

DNAStrng-class, [1](#)