

mu6500subbcdf

October 16, 2009

R topics documented:

| | |
|--------------------------------------|---|
| <code>i2xy</code> | 1 |
| <code>mu6500subbcdf</code> | 2 |
| <code>mu6500subbdim</code> | 2 |

| | |
|--------------|----------|
| Index | 3 |
|--------------|----------|

| | |
|-------------------|---|
| <code>i2xy</code> | <i>Convert (x,y)-coordinates to single-number indices and back.</i> |
|-------------------|---|

Description

Convert (x,y)-coordinates on the chip (and in the CEL file) to the single-number indices used in AffyBatch and CDF environment, and back.

Usage

```
i2xy(i)
xy2i(x, y)
```

Arguments

| | |
|----------------|--|
| <code>x</code> | numeric. x-coordinate (from 1 to 260) |
| <code>y</code> | numeric. y-coordinate (from 1 to 260) |
| <code>i</code> | numeric. single-number index (from 1 to 67600) |

Details

Type `i2xy` and `xy2i` at the R prompt to view the function definitions.

See Also

[mu6500subbcdf](#)

Examples

```
xy2i(5,5)
i      = 1:(260*260)
coord = i2xy(i)
j      = xy2i(coord[, "x"], coord[, "y"])
stopifnot(all(i==j))
range(coord[, "x"])
range(coord[, "y"])
```

| | |
|---------------|----------------------|
| mu6500subbcdf | <i>mu6500subbcdf</i> |
|---------------|----------------------|

Description

environment describing the CDF file

| | |
|---------------|----------------------|
| mu6500subbdim | <i>mu6500subbdim</i> |
|---------------|----------------------|

Description

environment describing the CDF dimensions

Index

*Topic **datasets**

`i2xy`, [1](#)

`mu6500subbcdf`, [2](#)

`mu6500subbdim`, [2](#)

`i2xy`, [1](#)

`mu6500subbcdf`, [1](#), [2](#)

`mu6500subbdim`, [2](#)

`xy2i (i2xy)`, [1](#)