

GenomeGraphs

October 25, 2011

AnnotationTrack-class

Class "AnnotationTrack"

Description

A generic object to store annotation

Objects from the Class

Objects can be created by calls of the form `new("AnnotationTrack", ...)`.

Slots

`chr`: Object of class "numeric"
`strand`: Object of class "numeric"
`regions`: Object of class "dfOrNULL"
`dp`: Object of class "DisplayPars"

Extends

Class "[gdObject](#)", directly.

Methods

drawGD signature(`gdObject` = "AnnotationTrack"): ...
getPlotId signature(`obj` = "AnnotationTrack"): ...
initialize signature(`.Object` = "AnnotationTrack"): ...

Author(s)

James Bullard

Examples

```
showClass("AnnotationTrack")
```

BaseTrack-class *Class "BaseTrack" represents base specific data*

Description

Represents specific data, e.g. how many times was every base sequenced

Objects from the Class

Objects can be created by calls of the form `new("BaseTrack", ...)`.

Slots

base: Object of class "numeric". Is a vector of base positions

value: Object of class "numeric". Is a vector of corresponding values for every base

strand: Object of class "character" represents that DNA strand

dp: Object of class DisplayPars to control various features of how the track is displayed.

Extends

Class "[gdObject](#)", directly.

Methods

show signature(object = "BaseTrack"):...

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```
if (interactive()) {
  data("exampleData", package="GenomeGraphs")
  ga <- new("GenomeAxis")
  bt <- new("BaseTrack", base = yeastCons1[,1], value = yeastCons1[,2],
           dp = DisplayPars(color = "darkblue"))
  gdPlot(list(ga, bt))
}
```

DisplayPars-class *Class "DisplayPars" is used to specify graphical parameters to*

Description

The DisplayPars functions analogously to par and gp. Generally the class is instantiated using the DisplayPars function rather than directly.

Objects from the Class

Objects can be created by calls of the form DisplayPars(...) rather than calls to: new("DisplayPars", ...) by calling the DisplayPars function directly in the constructor the gObjects are guaranteed to have the appropriate defaults.

Slots

pars: Object of class "environment" Generally this slot is not accessed directly.

Methods

getPar signature(obj = "DisplayPars"): gets a graphical parameter by name

initialize signature(.Object = "DisplayPars"): This constructor should not be called directly.

setPar signature(obj = "DisplayPars"): sets a graphical parameter - see the example below. Often it is easier to set the graphical parameter from within the gObject.

show signature(object = "DisplayPars"): prints current graphical parameters

Warning

The DisplayPars class should not be manipulated directly. The preferred method for interacting with the class can be seen in the example below.

Author(s)

James Bullard

Examples

```
showClass("DisplayPars")

if (interactive()) {
  minbase = 10000
  maxbase = 15000
  mart <- useMart("ensembl", dataset = "scerevisiae_gene_ensembl")
  genesplus <- new("GeneRegion", start = minbase, end = maxbase, biomart = mart,
                  strand = "+", chromosome = "I", dp = DisplayPars(size = 2))
  ## plot it.
  gdPlot(list(genesplus, new("Title", title = "genes")), minbase, maxbase)

  ## to obtain a list of the current graphical parameters:
  print(genesplus@dp)
```

```
## to set a parameter:
setPar(genesplus, "protein_coding", "pink")
gdPlot(list(genesplus, new("Title", title = "genes")), minbase, maxbase)
}
```

DisplayPars

DisplayPars constructs objects of type DisplayPars which are used to

Description

DisplayPars takes any number of named arguments which will be used by the drawGD method of the gdObject. These arguments are analogous to both par and gp of the traditional and grid graphics systems respectively. Different functions support different graphical parameters - thus it is necessary to consult the documentation of the particular gdObject to determine which DisplayPars will be used.

Usage

```
DisplayPars(...)
```

Arguments

```
...          name value pairs
```

Details

It is not recommended to call `new("DisplayPars", ...)` directly; rather this function `DisplayPars()` should be called instead. If a gdObject has already been instantiated then the appropriate method for changing graphical parameters is: `setPar`.

Value

Returns an object of type DisplayPars, generally this will be called during a call to the `new` function for a particular gdObject.

Author(s)

James Bullard

Examples

```
minbase = 10000
maxbase = 15000
mart <- useMart("ensembl", dataset = "scerevisiae_gene_ensembl")
genesplus <- new("GeneRegion", start = minbase, end = maxbase, biomart = mart,
                strand = "+", chromosome = "I", dp = DisplayPars(color =
                "red"))
gaxis <- new("GenomeAxis", add53 = TRUE, add35 = TRUE)
genesminus <- new("GeneRegion", start = minbase, end = maxbase, biomart = mart,
                strand = "-", chromosome = "I", dp = DisplayPars(color =
                "purple", size = 2))
title <- new("Title", title = "genes in a region")
gdPlot(list(genesplus, gaxis, genesminus, title), minbase, maxbase)
```

ExonArray-class *Class "ExonArray" representing probe level exon array data from*

Description

Represents probe level exon array data from Affymetrix. Makes it possible to visualize alternative splicing as measured by the Affymetrix exon array platform and relate it to known transcript isoforms annotated by Ensembl

Objects from the Class

Objects can be created by calls of the form `new("ExonArray", ...)`.

Slots

intensity: Object of class "matrix", array data matrix containing probes as the rows and samples as the columns

probeStart: Object of class "numeric" vector with the start positions of the probes

probeEnd: Object of class "numeric" vector with the end positions of the probes

probeId: Object of class "character" vector containing the probeset identifiers

nProbes: Object of class "numeric" vector defining how many probes there are for each exon/probeset

displayProbesets: Object of class "logical" used to indicate if probe set names should be plotted or not

Extends

Class "[gdObject](#)", directly.

Methods

show `signature(object = "ExonArray"):...`

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```

if(interactive()){
data("unrData", package="GenomeGraphs")
library(biomaRt)
mart = useMart("ensembl", dataset="hsapiens_gene_ensembl")

title = new("Title", title = "ENSG00000009307", dp = DisplayPars(color = "darkslategray"))
exmapcol = rep("khaki", length(unrNProbes))
exmapcol[28]="darkred"
probeSetCol = rep("grey", length(unrNProbes))
probeSetCol[27:28]="darkslategray"
probeSetLwd = rep(1, length(unrNProbes))
probeSetLwd[27:28]=3

exon = new("ExonArray", intensity = unrData, probeStart = unrPositions[,3], probeEnd=unrP
exon2 = new("ExonArray", intensity = unrData, probeStart = unrPositions[,3], probeEnd=unrP

affyModel = new("GeneModel", exonStart = unrPositions[,3], exonEnd = unrPositions[,4])
gene = new("Gene", id = "ENSG00000009307", biomaRt = mart)
transcript = new("Transcript", id = "ENSG00000009307" , biomaRt = mart)
legend = new("Legend", legend = c("affyModel", "gene"), dp = DisplayPars(color= c("darkgre

gdPlot(list(title,exonarray1 = exon2,exonarray2= exon, AffymetrixModel= affyModel, gene,
}

```

Gene-class

*Class "Gene" represents the Ensembl Gene level annotation***Description**

Class "Gene" represents the Ensembl Gene level annotation. Upon creation of an object of this class, intron and exon boundaries are retrieved from Ensembl

Objects from the Class

Objects can be created by calls of the form `new("Gene", ...)`.

Slots

id: Object of class "character", representing a unique identifier for the gene or a vector of identifiers for genes that are located near each other (or at least on the same chromosome)

type: Object of class "character", representing the type of identifier used, e.g. hgnc_symbol, entrezgene and ensembl_gene_id, check the listFilters function of the biomaRt package for more identifier options

biomaRt: Object of class "Mart", contains the link to the Ensembl database and should be created using the useMart function from the biomaRt package

ens: Object of class "data.frame", contains the output from the Ensembl query, users don't need to give a value to this

Methods

initialize signature(.Object = "Gene"): ...
drawGD signature(.Object = "Gene"): ...
show signature(object = "Gene"): ...

Author(s)

Jim Bullard and Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```
if(interactive()){
  mart = useMart("ensembl", dataset="hsapiens_gene_ensembl")
  gene = new("Gene", id = "ENSG00000095203", type="ensembl_gene_id", biomart = mart)
  gdPlot(list(gene), minBase= 110974000, maxBase = 111122900)
}
```

GeneModel-class *Class "GeneModel", represents a custom gene model*

Description

This class represents a custom gene model defined by exon boundaries. An example of this class could be an Affymetrix gene model used to create the Affy Exon array

Objects from the Class

Objects can be created by calls of the form `new("GeneModel", ...)`.

Slots

exonStart: Object of class "numeric", vector containing the start positions of the exons that are to be drawn
exonEnd: Object of class "numeric", vector containing the end positions of the exons that are to be drawn
chromosome: Object of class "numeric", chromosome name
dp: Object of class "DisplayPars", color of the exons and size of the exon model in the final plot

Methods

No methods defined with class "GeneModel" in the signature.

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```
data("unrData", package="GenomeGraphs")
affyModel = new("GeneModel", exonStart = unrPositions[,3], exonEnd = unrPositions[,4])
gdPlot(list(affyModel), minBase = min(unrPositions[,3]), maxBase=max(unrPositions[,4]))
```

GeneRegion-class *Class "GeneRegion", representing gene structures in a defined genomic*

Description

Given a start and end position and a chromosome name, all gene structures in this region will be retrieved from Ensembl upon creation of the object.

Objects from the Class

Objects can be created by calls of the form `new("GeneRegion", ...)`.

Slots

start: Object of class "numeric", start position
end: Object of class "numeric", end position
chromosome: Object of class "character", chromosome name
strand: Object of class "character", represents the strand from which the gene structures should be retrieved. Value is either + or -
biomart: Object of class "Mart", containing the link to the Ensembl database. This should be created by the useMart function from the biomaRt package
ens: Object of class "data.frame", output of the biomaRt query, should not be used by users

Methods

drawGD signature(.Object = "GeneRegion"): ...
initialize signature(.Object = "GeneRegion"): ...
show signature(object = "GeneRegion"): ...

Author(s)

Steffen Durinck

References<http://www.stat.berkeley.edu/~steffen/>**See Also**objects to See Also as [gdPlot](#)**Examples**

```
if(interactive()){
  mart = useMart("ensembl", dataset="hsapiens_gene_ensembl")
  plusStrand = new("GeneRegion", chromosome = "17", start = 30450000, end = 30550000, strand = "+")
  genomeAxis = new("GenomeAxis", add53=TRUE)
  gdPlot(list(genomeAxis, plusStrand), minBase = 30450000, maxBase = 30550000)
}
```

GenericArray-class *Class "GenericArray", representing array data*

Description

The Generic Array class is a class that can be used to create plots from array data such as microarrays and arrayCGH platforms. It can represent the data as line plots or dot plots and segments can be included as well

Objects from the Class

Objects can be created by calls of the form `new("GenericArray", ...)`.

Slots

intensity: Object of class "matrix", matrix containing the intensities of expression or cgh data. Rows should be probes, columns samples

probeStart: Object of class "numeric", start position of the probes

probeEnd: Object of class "numeric", end position of the probes if available

Methods

show signature(object = "GenericArray"):...

Author(s)

Steffen Durinck

References<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```
if(interactive()){
  data("exampleData", package="GenomeGraphs")

  minbase <- 180292097
  maxbase <- 180492096
  ideog <- new("Ideogram", chromosome = "3")
  expres <- new("GenericArray", intensity = intensity, probeStart = exonProbePos,
               dp = DisplayPars(color="darkred", type="point"))
  gdPlot(list(ideog, expres), minBase = minbase, maxBase =maxbase)
}
```

GenomeAxis-class *Class "GenomeAxis", representing a genomic coordinate axis*

Description

Represents a genomic coordinate axis

Objects from the Class

Objects can be created by calls of the form `new("GenomeAxis", ...)`.

Slots

add53: Object of class "logical", indicating if 5 to 3 prime direction needs to be plotted

add35: Object of class "logical", indicating if 3 to 5 prime direction needs to be plotted

dp: Object of class "DisplayPars", containing the display parameters such as size of the plot and color

littleTicks: Object of class "logical", indicating if the genome axis should be dense for improved locating of regions of interest.

Methods

No methods defined with class "GenomeAxis" in the signature.

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```

if(interactive()){
  mart = useMart("ensembl", dataset="hsapiens_gene_ensembl")
  genomeAxis = new("GenomeAxis", add53=TRUE)
  plusStrand = new("GeneRegion", chromosome = "17", start = 30450000, end = 30550000, strand = "+")
  gdPlot(list(genomeAxis, plusStrand), minBase = 30450000, maxBase = 30550000)
}

```

HighlightRegion-class

Class "HighlightRegion" is used to highlight vertical blocks of genomic

Description

HighlightRegion is used to highlight a genomic region of interest. The class offers the ability to highlight or block out regions of interest.

Objects from the Class

Objects can be created by calls of the form `new("HighlightRegion", ...)`.

Slots

start: Object of class "numeric" genomic start position.

end: Object of class "numeric" genomic end position.

region: Object of class "numericOrNull" start and end number of the tracks to be covered by the region. These start from the first track (top = 1) to the last track: `length(gdObjects)` in the call to `gdObject`

coords: Object of class "character" can be either "genomic" or "absolute", if the coordinates are "absolute" then one can plot things using the coordinate space defined by: lower-left (0,0) upper-right (1,1). In this case, `start = x0`, `end = x1` and then `region = (y0, y1)`. See the examples for more details.

dp: Object of class "DisplayPars" specifies the various display parameters.

Extends

Class "[gdObject](#)", directly.

Methods

No methods defined with class "HighlightRegion" in the signature.

Author(s)

James Bullard

Examples

```

if (interactive()) {
  data("exampleData", package="GenomeGraphs")

  ga <- new("GenomeAxis")
  grF <- new("GeneRegion", start = 10000, end = 20000, chromosome = "I", strand = "+", biom)
  grR <- new("GeneRegion", start = 10000, end = 20000, chromosome = "I", strand = "-", biom)
  bt <- new("BaseTrack", base = yeastCons1[,1], value = yeastCons1[,2])
  hr1 <- new("HighlightRegion", start = 11000, end = 13000,
            dp = DisplayPars(alpha = 1, color = "red", lty = "dashed", lwd = 3))
  hr2 <- new("HighlightRegion", start = 15900, end = 16500)

  gdPlot(list(grF, ga, grR, bt), highlightRegions = list(hr1, hr2))
}

```

Ideogram-class *Class "Ideogram", represent an Ideogram*

Description

An ideogram is a representation of a chromosome containing the banding pattern. Note that currently ideograms are only available for humans.

Objects from the Class

Objects can be created by calls of the form `new("Ideogram", ...)`.

Slots

chromosome: Object of class "character", representing the chromosome that needs to be drawn. E.g. 3 if chromosome 3 needs to be drawn or Y for Y chromosome.

dp: Object of class "DisplayPars", can be used to specify the size (default 1) of the ideogram in the final plot and to specify the highlighting color

Methods

No methods defined with class "Ideogram" in the signature.

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```

if(interactive()){
  data("exampleData", package="GenomeGraphs")

  minbase <- 180292097
  maxbase <- 180492096
  ideog <- new("Ideogram", chromosome = "3")
  expres <- new("GenericArray", intensity = intensity, probeStart = exonProbePos,
              dp = DisplayPars(color="darkred", type="point"))
  gdPlot(list(ideog, expres), minBase = minbase, maxBase =maxbase)
}

```

 ImplementsTrackOverlay-class

Class "ImplementsTrackOverlay"

Description

The interface to be implemented to overlay tracks.

Objects from the Class

This object should not be instantiated, but rather this class should be extended to implement a particular interface.

Slots

trackOverlay: Object of class "TrackOverlayOrNull"

Methods

No methods defined with class "ImplementsTrackOverlay" in the signature.

Examples

```
showClass("ImplementsTrackOverlay")
```

 Legend-class

Class "Legend", represents a legend to add to a plot

Description

This class represents a legend

Objects from the Class

Objects can be created by calls of the form `new("Legend", ...)`.

Slots

legend: Object of class "character", vector with names of the items in the legend
dp: Object of class "DisplayPars" size of the legend (size), the size of the font (cex) and the colors (color) of the legend

Methods

No methods defined with class "Legend" in the signature.

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```
showClass("Legend")
```

MappedRead-class *Represents mapped reads*

Description

Represents mapped reads

Slots

start: Object of class "numeric", containing start position of the reads
end: Object of class "numeric", containing end position of the reads
strand: Object of class "numeric", containing strand to which the reads map
chromosome: Object of class "numeric", containing chromosome to which the reads map

Methods

```
show signature(object = "MappedRead"): ...
```

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

Examples

```
## maybe str(MappedRead) ; plot(MappedRead) ...
```

```
Overlay-class      Class "Overlay"
```

Description

Superclass of overlay objects.

Objects from the Class

Objects from this class are generally not created.

Slots

dp: Object of class "DisplayPars"

Extends

Class "[gdObject](#)", directly.

Methods

No methods defined with class "Overlay" in the signature.

Examples

```
showClass("Overlay")
```

```
RectangleOverlay-class
      Class "RectangleOverlay"
```

Description

Rectangular Overlay

Objects from the Class

Objects can be created by calls of the form `makeRectangleOverlay` ([makeRectangleOverlay](#)).

Slots

start: Object of class "numeric" ~~
end: Object of class "numeric" ~~
region: Object of class "numericOrNull" ~~
coords: Object of class "character" ~~
dp: Object of class "DisplayPars" ~~

Extends

Class `"Overlay"`, directly. Class `"gdObject"`, by class `"Overlay"`, distance 2.

Methods

drawOverlay signature(obj = "RectangleOverlay"): ...

Examples

```
showClass("RectangleOverlay")
```

Segmentation-class *Class "Segmentation" is used to specify segmentations to any class that*

Description

A Segmentation object provides line segments to various `gdObjects`

Objects from the Class

Objects can be created by calls of the form `new("Segmentation", segments = list(1), segmentStart = list(1000), segmentEnd = list(1010))`.

Slots

```
segments: Object of class "list" ~~
segmentStart: Object of class "list" ~~
segmentEnd: Object of class "list" ~~
dp: Object of class "DisplayPars" ~~
```

Extends

Class `"gdObject"`, directly.

Methods

```
getSegmentEnd signature(obj = "Segmentation"): ...
getSegmentStart signature(obj = "Segmentation"): ...
getSegments signature(obj = "Segmentation"): ...
```

Author(s)

James Bullard

Examples

```
showClass("Segmentation")
```

Smoothing-class *Class "Smoothing"*

Description

Simple object to overlay line segments specified by x,y coordinates.

Objects from the Class

Objects can be created by calls of the form `makeSmoothing`.

Slots

`x`: Object of class "numeric"
`y`: Object of class "numeric"
`dp`: Object of class "DisplayPars"

Extends

Class "[TrackOverlay](#)", directly. Class "[gdObject](#)", by class "TrackOverlay", distance 2.
Class "[TrackOverlayOrNull](#)", by class "TrackOverlay", distance 2.

Methods

No methods defined with class "Smoothing" in the signature.

Examples

```
showClass("Smoothing")
```

TextOverlay-class *Class "TextOverlay"*

Description

Textual overlay classes

Objects from the Class

Objects can be created by calls of the form `makeTextOverlay`

Slots

`text`: Object of class "character"
`xpos`: Object of class "numeric"
`ypos`: Object of class "numeric"
`region`: Object of class "numericOrNull"
`coords`: Object of class "character"
`dp`: Object of class "DisplayPars"

Extends

Class `"Overlay"`, directly. Class `"gdObject"`, by class `"Overlay"`, distance 2.

Methods

drawOverlay signature(obj = "TextOverlay"):...

Examples

```
showClass("TextOverlay")
```

Title-class

Class "Title" representing the title of a plot

Description

Represent the title of a plot

Objects from the Class

Objects can be created by calls of the form `new("Title", ...)`.

Slots

title: Object of class `"character"` which will be used as title

dp: Object of class `"DisplayPars"` specifying the size and color of the title in the final plot

Methods

No methods defined with class `"Title"` in the signature.

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as `gdPlot`

Examples

```
showClass("Title")
```

TrackOverlay-class *Class "TrackOverlay"*

Description

Parent class for track overlay objects, such as Smoothing and Segmentation

Objects from the Class

Objects of this class are not instantiated, but rather this class should be extended.

Slots

dp: Object of class "DisplayPars" ~~

Extends

Class "[gdObject](#)", directly. Class "TrackOverlayOrNull", directly.

Methods

No methods defined with class "TrackOverlay" in the signature.

Examples

```
showClass("TrackOverlay")
```

Transcript-class *Represent known transcript isoforms as annotated by Ensembl*

Description

Represent known transcript isoforms as annotated by Ensembl

Objects from the Class

Objects can be created by calls of the form `new("Transcript", ...)`.

Slots

id: Object of class "character", represents the gene identifier that should be used to retrieve the transcript level annotation

type: Object of class "character", represents the type of identifiers used to specify the gene e.g. hgnc_symbol, entrezgene and ensembl_gene_id

transcriptSize: Object of class "numeric", represents the size of the transcripts in the plot

numOfTranscripts: Object of class "numeric", should not be used by users

biomart: Object of class "Mart", containing the links to the Ensembl database. This object should be created with the useMart function of the biomaRt package

ens: Object of class "data.frame", should not be used by the users. Contains the output from the biomaRt query

Methods

drawGD signature(.Object = "Transcript"): ...
initialize signature(.Object = "Transcript"): ...
show signature(object = "Transcript"): ...

Author(s)

Steffen Durinck

References

<http://www.stat.berkeley.edu/~steffen/>

See Also

objects to See Also as [gdPlot](#)

Examples

```
if(interactive()){
  data("unrData", package="GenomeGraphs")
  mart = useMart("ensembl", dataset="hsapiens_gene_ensembl")
  transcript = new("Transcript", id = "ENSG00000009307" , biomart = mart)
  gdPlot(list(transcript), minBase = min(exon@probeStart), maxBase=max(exon@probeEnd))
}
```

TranscriptRegion-class

Class "TranscriptRegion", representing a genomic region with

Description

Upon creation of this object, transcripts present in a specified region will be retrieved from Ensembl

Objects from the Class

Objects can be created by calls of the form `new("TranscriptRegion", ...)`

Slots

start: Object of class "numeric", the start base of the genomic region
end: Object of class "numeric", the end base of the genomic region
chromosome: Object of class "character", the chromosome
biomart: Object of class "Mart", contains link to Ensembl and should be created using the `useMart` function of the `biomaRt` package
ens: Object of class "data.frame", users should not specify this, it contains the output of the query to Ensembl

Methods

show signature(object = "TranscriptRegion"): ...

Author(s)

Steffen Durinck

References<http://www.stat.berkeley.edu/~steffen/>**See Also**objects to See Also as [gdPlot](#)**Examples**

```
showClass("TranscriptRegion")
```

`cn`*Contains dummy copy number data*

Description

Contains dummy copy number data

Examples

#

`drawGD`*Generic called on each gdObject to do the plotting.*

Description

This generic gets called on each of the `gdObjects` (obviously the generic is implemented by a method for each object) and thus if a user wishes to implement new `gdObjects` they need to have access to this generic.

Usage

```
drawGD(gdObject, minBase, maxBase, vpPosition, ...)
```

Arguments

| | |
|-------------------------|------------------------------------|
| <code>gdObject</code> | <code>gdObject</code> list to plot |
| <code>minBase</code> | Minimum base position to plot |
| <code>maxBase</code> | Maximum base position to plot |
| <code>vpPosition</code> | <code>vpPosition</code> |
| <code>...</code> | Ignored |

drawTrackOverlay-methods

This method does the drawing of a track overlay. One should implement

Description

Methods for function drawTrackOverlay in Package 'GenomeGraphs'

Methods

Segmentation

Smoothing

exonProbePos

Contains dummy exon probe positions

Description

Contains dummy exon probe positions

Examples

#

gdObject-class

Class "gdObject" is the parent class of all of the objects in the

Description

The gdObject is the superclass of all the classes in the system and provides some basic functionality for displaying and managing graphical parameters.

Objects from the Class

Objects can be created by calls of the form `new("gdObject", ...)`. Generally, this class is meant to be subclassed and not created directly.

Slots

dp: Object of class "DisplayPars" ~~

Methods

getCex signature(obj = "gdObject"): ...
getColor signature(obj = "gdObject"): ...
getLty signature(obj = "gdObject"): ...
getLwd signature(obj = "gdObject"): ...
getPar signature(obj = "gdObject"): ...
getPch signature(obj = "gdObject"): ...
getPointSize signature(obj = "gdObject"): ...
getSize signature(obj = "gdObject"): ...
initialize signature(.Object = "gdObject"): ...
setPar signature(obj = "gdObject"): ...
showDisplayOptions signature(obj = "gdObject"): ...
showDisplayOptions signature(obj = "character"): ...

Author(s)

James Bullard

Examples

```
showClass("gdObject")
```

gdPlot

gdPlot is the main plotting function of the GenomeGraphs package

Description

gdPlot is the main plotting function of the GenomeGraphs package. A collection of objects are given as a list and these will then be plotten in the order given.

Usage

```
gdPlot(gdObjects, minBase = NA, maxBase = NA, overlays = NULL,
       labelColor = "black", labelCex = 1, labelRot = 90)
```

Arguments

| | |
|------------|---|
| gdObjects | This is either a list of gdObjects which will be plotted from top to bottom or a single gdObjects to be plotted. |
| minBase | minBase defines the minimum base that will be plotted, if ommitted a minimum is determined from the objects in gdObjects if possible. |
| maxBase | maxBase defines the maximum base that will be plotted,if ommitted a minimum is determined from the objects in gdObjects if possible. |
| overlays | overlays defines a set of regions to overlay on the plot. This argument is either a list or a single Overlay object. |
| labelColor | Draw the labels with the given colors. |
| labelCex | Character expansion factor. |
| labelRot | Rotate the track labels labelRot degrees. |

Author(s)

Steffen Durinck and James Bullard

References<http://www.stat.berkeley.edu/~steffen/>**Examples**

```

data("exampleData", package="GenomeGraphs")

minbase = min(probestart)
maxbase = max(probestart)

mart = useMart("ensembl", dataset="hsapiens_gene_ensembl")

genesplus = new("GeneRegion", start = minbase, end = maxbase, strand = "+", chromosome = "3")
genesmin = new("GeneRegion", start = minbase, end = maxbase, strand = "-", chromosome = "3")

seg <- new("Segmentation", segments = segments[[1]],
          segmentStart = segStart[[1]], segmentEnd = segEnd[[1]],
          dp = DisplayPars(color = "dodgerblue2", lwd=2,lty = "dashed"))

cop <- new("GenericArray", intensity = cn, probeStart = probestart,
          trackOverlay = seg, dp = DisplayPars(size=3, color = "seagreen", type="dot"))

ideog = new("Ideogram", chromosome = "3")
expres = new("GenericArray", intensity = intensity, probeStart = exonProbePos,
            dp = DisplayPars(color="darkred", type="point"))
genomeAxis = new("GenomeAxis", add53 = TRUE, add35=TRUE)
gdPlot(list(ideog,expres,cop,genesplus,genomeAxis,genesmin), minBase = minbase, maxBase = maxbase)

```

geneBiomart

*AnnotationTrack objects from biomaRt***Description**

Convenience function to construct an AnnotationTrack object from biomaRt.

Usage

```
geneBiomart(id, biomart, type = "ensembl_gene_id", dp = NULL)
```

Arguments

| | |
|---------|--|
| id | Gene identifier |
| biomart | Mart object connected to BioMart database, use useMart function to generate |
| type | Type of identifier used, this should be a filter of the BioMart database e.g. ensembl_gene_id, hgnc_symbol |
| dp | Display parameters |

Value

An AnnotationTrack object

Author(s)

James Bullard

geneRegionBiomart *Construct an AnnotationTrack object from biomaRt.*

Description

This function constructs an AnnotationTrack object from Biomart. It is a convenience function.

Usage

```
geneRegionBiomart(chr, start, end, strand, biomaRt, dp = NULL, chrFunction = fun
```

Arguments

| | |
|----------------|--|
| chr | chr An integer |
| start | start The start location |
| end | end The end location |
| strand | strand An integer -1, 0, 1 |
| biomaRt | biomaRt A mart |
| dp | dp DisplayPars object |
| chrFunction | chrFunction A function which takes chr and converts it into the correct representation for biomaRt. For instance yeast likes to have chromosomes as roman numerals so you can use as.roman here. |
| strandFunction | strandFunction Analogous to chrFunction, but for strand. The internal representation of strand is -1,0,1 whereas biomaRt has different species dependent representations. |

Value

An AnnotationTrack object.

Author(s)

James Bullard

getGenomicRange *Retrieves the genomic range of an object*

Description

getGenomicRange returns the genomic range of an object

Methods

```
signature(obj = "BaseTrack") #to be added
signature(obj = "ExonArray") #to be added
signature(obj = "gdObject") #to be added
signature(obj = "Gene") #to be added
signature(obj = "GeneRegion") #to be added
signature(obj = "GenericArray") #to be added
signature(obj = "Transcript") #to be added
signature(obj = "TranscriptRegion") #to be added
```

getPar *Retrieves a display parameter from an object.*

Description

Retrieves a display parameter from an object.

Usage

```
getPar(obj, name, ...)
```

Arguments

| | |
|------|-----------------------------------|
| obj | A gdObject or DisplayPars object. |
| name | Name of parameter to return. |
| ... | Ignored |

Examples

```
a <- new("GenomeAxis")
getPar(a, "size")
```

| | |
|---------|----------------------|
| getSize | <i>gets the size</i> |
|---------|----------------------|

Description

Gets the size display parameter

Usage

```
getSize(obj, ...)
```

Arguments

| | |
|-----|--------------------------------|
| obj | An object, usually a gdObject. |
| ... | Ignored |

Examples

```
#to be added
```

| | |
|-------------|--|
| ideogramTab | <i>Contains info to plot ideograms</i> |
|-------------|--|

Description

Contains info to plot ideograms

Format

The format is: chr "ideogramTab"

Source

NCBI

Examples

```
data(ideogramTab)
## maybe str(ideogramTab) ; plot(ideogramTab) ...
```

| | |
|-----------|--------------------------------------|
| intensity | <i>Contains dummy intensity data</i> |
|-----------|--------------------------------------|

Description

Contains dummy intensity data

Examples

```
#
```

```
makeAnnotationTrack
```

Create objects of class AnnotationTrack

Description

Convenience function for constructing objects of class AnnotationTrack.

Usage

```
makeAnnotationTrack(regions = NULL, chr = NULL, strand = NULL, start = NULL, end = NULL, feature = NULL, group = NULL, ID = NULL, dp = NULL)
```

Arguments

| | |
|---------|---|
| regions | A dataframe with columns start, end, feature, group, ID. start and end delineate the boundaries of the boxes feature can be used to color the boxes. Group denotes linking so generally exons from a gene form a group. Finally, ID can be used to plot names on boxes. |
| chr | The chromosome of the regions (can be ignored) |
| strand | The strand of the regions (can be ignored) |
| start | If regions is missing then we construct a dataframe from the remaining parameters. |
| end | Construct regions with this vector |
| feature | Construct regions with this feature vector or scalar |
| group | Defines a grouping |
| ID | Defines an ID for each annotation bit |
| dp | DisplayPars, in this case we can create a mapping between feature and color. So lets say in the feature column you have: gene, transcript, gene, then in the dp you can say gene = 'blue' and transcript = 'green' |

Value

Returns an object of class AnnotationTrack

Examples

```
a <- makeAnnotationTrack(start = c(10, 15, 25), end = c(12, 19, 31),
                        group = c(1,1,2), feature = c("gene", "gene", "tf"),
                        ID = paste("id", 1:3, sep = ""), dp = DisplayPars(gene = 'blue'))
gdPlot(a, minBase = 0, maxBase = 40)
```

| | |
|---------------|---|
| makeBaseTrack | <i>Creates an object of class BaseTrack</i> |
|---------------|---|

Description

Creates an object of class BaseTrack, which can represent many datasets containing a base given by a vector of positions and a corresponding vector with values for these base positions

Usage

```
makeBaseTrack(base, value, strand, trackOverlay, dp = NULL)
```

Arguments

| | |
|--------------|---|
| base | Numeric vector of base positions |
| value | Numeric vector with values for these base positions |
| strand | Character either + or - representing the strand |
| trackOverlay | Object of class TrackOverlay, used when overlays are needed to be drawn |
| dp | Object of class DisplayPars representing the display parameters of the plot |

Value

Object of class BaseTrack

Author(s)

Jim Bullard and Steffen Durinck

References

~put references to the literature/web site here ~

See Also

[DisplayPars](#), [gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (base, value, strand, segmentation, dp = NULL)
{
  pt <- getClass("BaseTrack")@prototype
  if (is.null(dp))
    dp <- pt@dp
  if (missing(strand))
    strand <- pt@strand
  if (missing(segmentation))
    segmentation <- pt@segmentation
}
```

```

if (missing(base))
  stop("Need base argument to know the base positions to plot the data on the genome")
if (missing(value))
  stop("Need value argument")
new("BaseTrack", base = base, value = value, strand = strand,
    dp = dp, segmentation = segmentation)
}

```

| | |
|---------------|--|
| makeExonArray | <i>Creates and object of class ExonArray</i> |
|---------------|--|

Description

Creates an object of class ExonArray, representing exon array microarray data

Usage

```
makeExonArray(intensity, probeStart, probeEnd, probeId, nProbes, displayProbesets)
```

Arguments

| | |
|------------------|--|
| intensity | Matrix of intensities, probes in the rows, samples in the columns |
| probeStart | Vector of probe start positions |
| probeEnd | Vector of probe end positions (optional) |
| probeId | Character vector containing the probe identifiers |
| nProbes | Vector indicating how many probes are in each probeset |
| displayProbesets | Logical indicating if the probeset identifier should be displayed or not |
| dp | Object of class DisplayPars to set the display parameters |

Value

Object of ExonArray class

Author(s)

Steffen Durinck and Jim Bullard

References

~put references to the literature/web site here ~

See Also

[gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (intensity, probeStart, probeEnd, probeId, nProbes,
         displayProbesets = FALSE, dp = NULL)
{
  pt <- getClass("ExonArray")@prototype
  if (is.null(dp))
    dp <- pt@dp
  if (missing(probeEnd))
    probeEnd <- pt@probeEnd
  if (missing(probeId))
    probeId <- pt@probeId
  if (missing(nProbes))
    nProbes <- pt@nProbes
  if (is.null(dp))
    dp <- getClass("ExonArray")@prototype@dp
  new("ExonArray", intensity = intensity, probeStart = probeStart,
      probeEnd = probeEnd, probeId = probeId, nProbes = nProbes,
      displayProbesets = displayProbesets, dp = dp)
}
```

makeGene

Creates an object of class Gene

Description

Creates an object of class Gene. This represents a gene structure as annotated in Ensembl.

Usage

```
makeGene(id, type, biomaRt, dp = NULL)
```

Arguments

| | |
|---------|--|
| id | An identifier used to specify of which gene the intron-exon structure should be retrieved |
| type | The type of identifiers used, examples are ensembl_gene_id, hgnc_symbol, entrezgene. See listAttributes function of the biomaRt package for more info |
| biomaRt | Mart object, created by the useMart function of biomaRt |
| dp | object of class DisplayPars, determines the display of features on the plot |

Value

An object of class Gene

Author(s)

Steffen Durinck and Jim Bullard

References

~put references to the literature/web site here ~

See Also

[gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (id, type, biomart, dp = NULL)
{
  if (missing(id))
    stop("Need to specify a gene identifier for creating a Gene")
  pt <- getClass("Gene")@prototype
  if (is.null(dp))
    dp <- pt@dp
  if (missing(type))
    type = pt@type
  new("Gene", id = id, type = type, biomart = biomart, dp = dp)
}
```

| | |
|---------------|---|
| makeGeneModel | <i>Creates an object of class GeneModel</i> |
|---------------|---|

Description

Creates an object of class GeneModel representing a custom annotation or gene model

Usage

```
makeGeneModel(start, end, chromosome, dp = NULL)
```

Arguments

| | |
|------------|---|
| start | Vector of start positions for exons |
| end | Vector of end positions for exons |
| chromosome | chromosome name |
| dp | Display parametes represented as an object of class DisplayPars |

Value

Object of class GeneModel

Author(s)

Steffen Durinck and Jim Bullard

References

~put references to the literature/web site here ~

See Also

[DisplayPars](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (start, end, chromosome, dp = NULL)
{
  if (is.null(dp))
    dp <- getClass("GeneModel")@prototype@dp
  new("GeneModel", exonStart = start, exonEnd = end, dp = dp)
}
```

| | |
|----------------|--|
| makeGeneRegion | <i>Creates an object of class Gene containing the intron-exon structures</i> |
|----------------|--|

Description

Creates an object of class Gene containing the intron-exon structures of genes. Given a start and end position, strand and chromosome, all the intron-exon structures of all genes laying in this region will be retrieved.

Usage

```
makeGeneRegion(start, end, chromosome, strand, biomart, dp = NULL)
```

Arguments

| | |
|------------|---|
| start | Start position on chromosome |
| end | End position on chromosome |
| chromosome | Chromosome name |
| strand | Strand either + or - |
| biomart | Mart object, created by the useMart function of biomaRt |
| dp | Object of class DisplayPars, determines the display of features on the plot |

Value

An object of class Gene

Author(s)

Steffen Durinck and Jim Bullard

References

~put references to the literature/web site here ~

See Also

[gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (start, end, chromosome, strand, biomart, dp = NULL)
{
  if (missing(start))
    stop("Need to specify a start for creating a GeneRegion")
  pt <- getClass("GeneRegion")@prototype
  if (is.null(dp))
    dp <- pt@dp
  if (is.numeric(chromosome))
    chromosome = as.character(chromosome)
  new("GeneRegion", start = start, end = end, chromosome = chromosome,
      strand = strand, biomart = biomart, dp = dp)
}
```

makeGenericArray *Creates an object of class GenericArray*

Description

Creates an object of class Generic Array representing microarray data. This could be gene expression, array CGH, etc.

Usage

```
makeGenericArray(intensity, probeStart, probeEnd, trackOverlay, dp = NULL)
```

Arguments

| | |
|--------------|---|
| intensity | Matrix of intensities, probes in the rows, samples in the columns |
| probeStart | Vector of start positions for the probes |
| probeEnd | Vector of end positions for probes (optional) |
| trackOverlay | Object of class TrackOverlay, needs to be added if overlays should be plotted as well |
| dp | Object of class DisplayPars which handles the display parameters for plotting |

Value

Object of class GenericArray

Author(s)

Jim Bullard and Steffen Durinck

References

BMC bioinformatics 2009

See Also

gdPlot

Examples

```
showClass("GenericArray")
```

makeGenomeAxis *Creates an object of class GenomeAxis*

Description

Creates an object of class GenomeAxis, representing a genome coordinate axis.

Usage

```
makeGenomeAxis(add53 = FALSE, add35 = FALSE, littleTicks = FALSE, dp = NULL)
```

Arguments

| | |
|-------------|--|
| add53 | Add a 5 to 3 prime label |
| add35 | Add a 3 to 5 prime label |
| littleTicks | Add smaller ticks between larger ticks |
| dp | Set the display parameters see DisplayPars |

Value

Object of class GenomeAxis

Author(s)

Jim Bullard and Steffen Durinck

References

~put references to the literature/web site here ~

See Also

[DisplayPars](#), [gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (add53 = FALSE, add35 = FALSE, littleTicks = FALSE,
         dp = NULL)
{
  if (is.null(dp))
    dp <- getClass("GenomeAxis")@prototype@dp
  new("GenomeAxis", add53 = add53, add35 = add35, dp = dp)
}
```

| | |
|--------------|---|
| makeIdeogram | <i>Creates object of class Ideogram</i> |
|--------------|---|

Description

Creates object of class Ideogram

Usage

```
makeIdeogram(chromosome, dp = NULL)
```

Arguments

| | |
|------------|--|
| chromosome | Chromosome to represent (currently human only) |
| dp | Display parameters such as color and size |

Value

Object of class Ideogram

Author(s)

Jim Bullard and Steffen Durinck

References

~put references to the literature/web site here ~

See Also

[gdPlot](#)

Examples

```
##----- Should be DIRECTLY executable !! -----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (chromosome, dp = NULL)
{
  if (missing(chromosome))
    stop("Need to specify chromosome for creating an Ideogram")
  if (is.numeric(chromosome)) {
    chromosome = as.character(chromosome)
  }
  if (is.null(dp))
    dp <- getClass("Ideogram")@prototype@dp
  new("Ideogram", chromosome = chromosome, dp = dp)
}
```

makeLegend

Creates an object of class Legend

Description

Creates an object of class Legend which can be used to plot a legend

Usage

```
makeLegend(text, fill, cex)
```

Arguments

| | |
|------|--|
| text | Vector of characters representing the legend |
| fill | Vector of colors to fill the legend boxes |
| cex | Font size of the legend |

Value

Object of class Legend

Author(s)

Jim Bullard and Steffen Durinck

References

~put references to the literature/web site here ~

See Also

See Also as [gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (text, fill, cex)
{
  dp <- getClass("Legend")@prototype@dp
  if (!missing(cex))
    setPar(dp, "cex", cex)
  if (!missing(fill))
    setPar(dp, "color", fill)
  new("Legend", legend = text, dp = dp)
}
```

```
makeRectangleOverlay
```

Create a rectangular overlay

Description

Construct ractangular overlays.

Usage

```
makeRectangleOverlay(start, end, region = NULL, coords = c("genomic", "absolute"))
```

Arguments

| | |
|--------|--|
| start | Start position in coords coordinates |
| end | End position in coords coordinates |
| region | Which tracks to span, or the y (vertical range) |
| coords | Which coordinate system to use, if absolute then the range is from 0,1 and region become the y coordinates |
| dp | The display parameters |

Details

The rectangular overlay can be used to plot overlays in either genomic or absolute coordinates. If coordinates are absolute then the region argument becomes the y arguments.

Value

An object of class RectangleOverlay

Examples

```
data("exampleData", package = "GenomeGraphs")
cop <- makeGenericArray(intensity = cn, probeStart = probestart,
  dp = DisplayPars(size=3, color = "seagreen", type="dot"))
gdPlot(list(makeGenomeAxis(), cop), overlays =
  makeRectangleOverlay(start = 180350000, end = 180350000 + 1e5, dp = DisplayPars(al
```

makeSegmentation *Create objects of class segmentation*

Description

Construct objects of class segmentation

Usage

```
makeSegmentation(start, end, value, dp = NULL)
```

Arguments

| | |
|-------|--|
| start | Either a list or a vector. If it is a list then it is a list of vectors of start position (this is the way it is represented in the segmentation class) If it is a vector it is a vector of start positions. |
| end | Same as start, but the corresponding end positions. |
| value | The y value of the segmentation, ie. segments(start[i], value[i], end[i], value[i]) |
| dp | The Display parameters. |

Value

An object of class Segmentation

Examples

```
data("exampleData", package="GenomeGraphs")
seg <- makeSegmentation(segStart[[1]], segEnd[[1]], segments[[1]],
                        dp = DisplayPars(color = "black", lwd=2,lty = "solid"))
cop <- makeGenericArray(intensity = cn, probeStart = probestart,
                        trackOverlay = seg, dp = DisplayPars(size=3, color = "seagreen",
gdPlot(cop)
```

makeSmoothing *Create objects of class Smoothing*

Description

Construct objects of class Smoothing

Usage

```
makeSmoothing(x, y, dp = NULL)
```

Arguments

| | |
|----|-------------------------|
| x | x-coordinate |
| y | y-coordinate |
| dp | The Display parameters. |

Value

An object of class `Smoothing`

Examples

```
data("exampleData", package="GenomeGraphs")
seg <- makeSmoothing(probestart, lowess(probestart, cn)$y, dp = DisplayPars(color = "black", lwd=2, lty="solid"))
cop <- makeGenericArray(intensity = cn, probeStart = probestart,
                        trackOverlay = seg, dp = DisplayPars(size=3, color = "seagreen", lwd=2, lty="solid"))
gdPlot(cop)
```

makeTextOverlay *Create objects of class TextOverlay*

Description

Create objects of class `TextOverlay`

Usage

```
makeTextOverlay(text, xpos, ypos, region = NULL, coords = c("genomic", "absolute"))
```

Arguments

| | |
|--------|---------------------------|
| text | The text to plot |
| xpos | The xposition of the text |
| ypos | The yposition of the text |
| region | Region |
| coords | Coordinates |
| dp | The display parameters |

Value

Returns class of `TextOverlay`

Examples

```
data("exampleData", package="GenomeGraphs")
seg <- makeSegmentation(segStart[[1]], segEnd[[1]], segments[[1]],
                        dp = DisplayPars(color = "black", lwd=2, lty = "solid"))
cop <- makeGenericArray(intensity = cn, probeStart = probestart,
                        trackOverlay = seg, dp = DisplayPars(size=3, color = "seagreen", lwd=2, lty="solid"))
gdPlot(cop, overlay = makeTextOverlay("Overlay Text", xpos = .5, ypos = .5, coords = "absolute"))
```

| | |
|-----------|---|
| makeTitle | <i>Creates an object of class Title</i> |
|-----------|---|

Description

Creates an object of class Title which can be used to add a title to the plot

Usage

```
makeTitle(text, cex, color, size)
```

Arguments

| | |
|-------|---|
| text | The text that will make up the title |
| cex | Font size of the title |
| color | Font color of the title |
| size | Size of the viewport in which the title resides |

Value

Object of class Title

Author(s)

Steffen Durinck and Jim Bullard

References

~put references to the literature/web site here ~

See Also

[gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (text, cex, color, size)
{
  dp <- getClass("Title")@prototype@dp
  if (!missing(cex))
    setPar(dp, "cex", cex)
  if (!missing(color))
    setPar(dp, "color", color)
  if (!missing(size))
    setPar(dp, "size", size)
  new("Title", title = text, dp = dp)
}
```

makeTranscript *Creates an object of class Transcript*

Description

Creates an object of class Transcript. This represents all known transcript structures in Ensembl.

Usage

```
makeTranscript(id, type, biomaRt, dp = NULL)
```

Arguments

| | |
|---------|---|
| id | An identifier used to specify of which gene/transcript the transcript structures should be retrieved |
| type | The type of identifiers used, examples are ensembl_gene_id, hgnc_symbol, entrezgene. See listAttributes function of thebiomaRt package for more info |
| biomaRt | Mart object, created by the useMart function of biomaRt |
| dp | object of class DisplayPars, determines the display of features on the plot |

Value

An object of class Transcript

Author(s)

Steffen Durinck and Jim Bullard

References

~put references to the literature/web site here ~

See Also

[gdPlot](#)

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (id, type, biomaRt, dp = NULL)
{
  if (missing(id))
    stop("Need to specify a gene identifier for creating a Transcript")
  pt <- getClass("Transcript")@prototype
  if (is.null(dp))
    dp <- pt@dp
  if (missing(type))
    type = pt@type
}
```

```

    new("Transcript", id = id, type = type, biomart = biomart,
        dp = dp)
}

```

probstart *Contains dummy expression array probe start positions*

Description

Contains dummy expression array probe start positions

Examples

#

segEnd *Contains dummy copy number segmentation end positions*

Description

Contains dummy copy number segmentation end positions

Examples

#

segStart *Contains dummy copy number segmentation start positions data*

Description

Contains dummy copy number segmentation start positions

Examples

#

segments *Contains dummy copy number segment data*

Description

Contains dummy copy number segment data

Examples

#

```
seqDataEx
```

This is an example data set from chromosome 4 of yeast from various

Description

This was a small dataset constructed from publicly available datasets. Please see references for details.

Usage

```
data(seqDataEx)
```

Format

```
data("seqDataEx", package = "GenomeGraphs") names(seqDataEx)
```

References

Ugrappa Nagalakshmi et. al. The transcriptional landscape of the yeast genome defined by RNA sequencing. *Science*, 2008

Lior David et. al. A high-resolution map of transcription in the yeast genome. *Proc Natl Acad Sci U S A*, (2006)

William Lee A high-resolution atlas of nucleosome occupancy in yeast. *Nat Genet*, 2007

Adam Siepel, et. al. Evolutionarily conserved elements in vertebrate, insect, worm, and yeast genomes. *Genome Res*, 2005

Examples

```
data(seqDataEx)
```

```
setPar
```

Sets a display parameter

Description

Sets a display parameter

Usage

```
setPar(obj, name, val, ...)
```

Arguments

| | |
|------|-----------------------------------|
| obj | An object, usually a gDObject. |
| name | Name of display parameter to set. |
| val | Value of display parameter. |
| ... | Ignored |

Examples

```
a <- new("GenomeAxis")
setPar(a, "size", 100)
gdPlot(a, minBase = 10, maxBase = 10000)
```

showDisplayOptions *Print standard display options, DisplayPars for an object or a class*

Description

Prints the available display options for a class or name of a class.

Usage

```
showDisplayOptions(obj, ...)
```

Arguments

| | |
|-----|--|
| obj | Either an object of subclass <code>gdObject</code> or a character naming a class |
| ... | Dots |

Value

Returns a `DisplayPars` object which is generally printed to the screen.

Examples

```
showDisplayOptions("GenericArray")
```

unrData *Contains exon array data*

Description

Contains exon array data from the publically available dataset on human tissue panels, given by Affymetrix. The data was contributed to the package by Elizabeth Purdom.

Examples

```
#
```

| | |
|------------|---------------------------------|
| unrNProbes | <i>Contains exon array data</i> |
|------------|---------------------------------|

Description

Contains the number of probes per exon array probeset id from the publically available dataset on human tissue panels, given by Affymetrix. The data was contributed to the package by Elizabeth Purdom.

Examples

#

| | |
|--------------|--|
| unrPositions | <i>Contains probe start and end positions of exon array probes</i> |
|--------------|--|

Description

Contains probe start and end positions from the publically available dataset on human tissue panels, given by Affymetrix. The data was contributed to the package by Elizabeth Purdom.

Examples

#

| | |
|------------|---|
| yeastCons1 | <i>Contains dummy yeast conservation data</i> |
|------------|---|

Description

Contains dummy yeast base conservation data.

Examples

#

Index

*Topic **classes**

AnnotationTrack-class, 1
BaseTrack-class, 2
DisplayPars-class, 3
drawTrackOverlay-methods, 22
ExonArray-class, 5
gdObject-class, 22
Gene-class, 6
GeneModel-class, 7
GeneRegion-class, 8
GenericArray-class, 9
GenomeAxis-class, 10
HighlightRegion-class, 11
Ideogram-class, 12
ImplementsTrackOverlay-class, 13
Legend-class, 13
Overlay-class, 15
RectangleOverlay-class, 15
Segmentation-class, 16
Smoothing-class, 17
TextOverlay-class, 17
Title-class, 18
TrackOverlay-class, 19
Transcript-class, 19
TranscriptRegion-class, 20

*Topic **datasets**

cn, 21
exonProbePos, 22
ideogramTab, 27
intensity, 27
MappedRead-class, 14
probestart, 43
segEnd, 43
segments, 43
segStart, 43
seqDataEx, 44
unrData, 45
unrNProbes, 46
unrPositions, 46
yeastCons1, 46

*Topic **hplot**

DisplayPars, 4

drawGD, 21
gdPlot, 23
geneBiomart, 24
geneRegionBiomart, 25
getPar, 26
getSize, 27
makeAnnotationTrack, 28
makeBaseTrack, 29
makeExonArray, 30
makeGene, 31
makeGeneModel, 32
makeGeneRegion, 33
makeGenericArray, 34
makeGenomeAxis, 35
makeIdeogram, 36
makeLegend, 37
makeRectangleOverlay, 38
makeSegmentation, 39
makeSmoothing, 39
makeTextOverlay, 40
makeTitle, 41
makeTranscript, 42
setPar, 44
showDisplayOptions, 45

*Topic **methods**

drawTrackOverlay-methods, 22
getGenomicRange, 26

AnnotationTrack-class, 1

BaseTrack-class, 2

cn, 21

DisplayPars, 4, 29, 33, 35

DisplayPars-class, 3

drawGD, 21

drawGD, AnnotationTrack-method
(AnnotationTrack-class), 1

drawGD, BaseTrack-method
(BaseTrack-class), 2

drawGD, ExonArray-method
(ExonArray-class), 5

drawGD, Gene-method (Gene-class), 6

- drawGD, GeneModel-method
(*GeneModel-class*), 7
- drawGD, GeneRegion-method
(*GeneRegion-class*), 8
- drawGD, GenericArray-method
(*GenericArray-class*), 9
- drawGD, GenomeAxis-method
(*GenomeAxis-class*), 10
- drawGD, Ideogram-method
(*Ideogram-class*), 12
- drawGD, Legend-method
(*Legend-class*), 13
- drawGD, MappedRead-method
(*MappedRead-class*), 14
- drawGD, Segmentation-method
(*Segmentation-class*), 16
- drawGD, Title-method
(*Title-class*), 18
- drawGD, Transcript-method
(*Transcript-class*), 19
- drawOverlay, TextOverlay-method
(*TextOverlay-class*), 17
- drawOverlay, RectangleOverlay-method
(*RectangleOverlay-class*),
15
- drawTrackOverlay, Segmentation-method
(*drawTrackOverlay-methods*),
22
- drawTrackOverlay, Smoothing-method
(*drawTrackOverlay-methods*),
22
- drawTrackOverlay-methods, 22

- ExonArray-class, 5
- exonProbePos, 22

- gdObject, 1, 2, 5, 11, 15–19
- gdObject-class, 22
- gdPlot, 2, 5, 7–10, 12, 14, 18, 20, 21, 23, 29,
30, 32, 34–37, 41, 42
- Gene-class, 6
- geneBiomart, 24
- GeneModel-class, 7
- GeneRegion-class, 8
- geneRegionBiomart, 25
- GenericArray-class, 9
- GenomeAxis-class, 10
- getCex, gdObject-method
(*gdObject-class*), 22
- getColor, gdObject-method
(*gdObject-class*), 22
- getGenomicRange, 26
- getGenomicRange, BaseTrack-method
(*getGenomicRange*), 26
- getGenomicRange, ExonArray-method
(*getGenomicRange*), 26
- getGenomicRange, gdObject-method
(*getGenomicRange*), 26
- getGenomicRange, Gene-method
(*getGenomicRange*), 26
- getGenomicRange, GeneRegion-method
(*getGenomicRange*), 26
- getGenomicRange, GenericArray-method
(*getGenomicRange*), 26
- getGenomicRange, Transcript-method
(*getGenomicRange*), 26
- getGenomicRange, TranscriptRegion-method
(*getGenomicRange*), 26
- getLty, gdObject-method
(*gdObject-class*), 22
- getLwd, gdObject-method
(*gdObject-class*), 22
- getPar, 26
- getPar, DisplayPars-method
(*DisplayPars-class*), 3
- getPar, gdObject-method
(*gdObject-class*), 22
- getPch, gdObject-method
(*gdObject-class*), 22
- getPlotId, AnnotationTrack-method
(*AnnotationTrack-class*), 1
- getPointSize, gdObject-method
(*gdObject-class*), 22
- getSegmentEnd, Segmentation-method
(*Segmentation-class*), 16
- getSegments, Segmentation-method
(*Segmentation-class*), 16
- getSegmentStart, Segmentation-method
(*Segmentation-class*), 16
- getSize, 27
- getSize, gdObject-method
(*gdObject-class*), 22

- HighlightRegion-class, 11

- Ideogram-class, 12
- ideogramTab, 27
- ImplementsTrackOverlay-class, 13
- initialize, AnnotationTrack-method
(*AnnotationTrack-class*), 1
- initialize, DisplayPars-method
(*DisplayPars-class*), 3
- initialize, gdObject-method
(*gdObject-class*), 22

- initialize, Gene-method
(Gene-class), 6
- initialize, GeneRegion-method
(GeneRegion-class), 8
- initialize, Transcript-method
(Transcript-class), 19
- intensity, 27
- Legend-class, 13
- makeAnnotationTrack, 28
- makeBaseTrack, 29
- makeExonArray, 30
- makeGene, 31
- makeGeneModel, 32
- makeGeneRegion, 33
- makeGenericArray, 34
- makeGenomeAxis, 35
- makeIdeogram, 36
- makeLegend, 37
- makeRectangleOverlay, 15, 38
- makeSegmentation, 39
- makeSmoothing, 39
- makeTextOverlay, 17, 40
- makeTitle, 41
- makeTranscript, 42
- MappedRead-class, 14
- Overlay, 16, 18
- Overlay-class, 15
- probestart, 43
- RectangleOverlay-class, 15
- segEnd, 43
- Segmentation-class, 16
- segments, 43
- segStart, 43
- seqDataEx, 44
- setPar, 44
- setPar, DisplayPars-method
(DisplayPars-class), 3
- setPar, gdObject-method
(gdObject-class), 22
- show, BaseTrack-method
(BaseTrack-class), 2
- show, DisplayPars-method
(DisplayPars-class), 3
- show, ExonArray-method
(ExonArray-class), 5
- show, Gene-method (Gene-class), 6
- show, GeneRegion-method
(GeneRegion-class), 8
- show, GenericArray-method
(GenericArray-class), 9
- show, MappedRead-method
(MappedRead-class), 14
- show, Transcript-method
(Transcript-class), 19
- show, TranscriptRegion-method
(TranscriptRegion-class),
20
- showDisplayOptions, 45
- showDisplayOptions, character-method
(gdObject-class), 22
- showDisplayOptions, gdObject-method
(gdObject-class), 22
- Smoothing-class, 17
- TextOverlay-class, 17
- Title-class, 18
- TrackOverlay, 17
- TrackOverlay-class, 19
- Transcript-class, 19
- TranscriptRegion-class, 20
- unrData, 45
- unrNProbes, 46
- unrPositions, 46
- yeastCons1, 46