

# BSgenome.Amellifera.BeeBase.assembly4

June 9, 2011

---

Amellifera

*Apis mellifera* (Honey Bee) full genome (BeeBase assembly4)

---

## Description

*Apis mellifera* (Honey Bee) full genome as provided by BeeBase (assembly4, Feb. 2008) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

```
-- information not available --
```

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

## Author(s)

H. Pages

## See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

## Examples

```
Amellifera
seqlengths(Amellifera)
Amellifera$Group1 # same as Amellifera[["Group1"]]

if ("AGAPS" %in% masknames(Amellifera)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
    ## Replace all masks by the inverted AGAPS mask
    masks(seq) <- gaps(masks(seq) ["AGAPS"])
  }
}
```

```
unique_letters <- uniqueLetters(seq)
if (any(unique_letters != "N"))
  stop("assembly gaps contain more than just Ns")
}

## A message will be printed each time a sequence is removed
## from the cache:
options(verbose=TRUE)

for (seqname in seqnames(Amellifera)) {
  cat("Checking sequence", seqname, "... ")
  seq <- Amellifera[[seqname]]
  checkOnlyNsInGaps(seq)
  cat("OK\n")
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

## \*Topic **data**

Amellifera, [1](#)

## \*Topic **package**

Amellifera, [1](#)

Amellifera, [1](#)

available.genomes, [1](#)

BSgenome-class, [1](#)

BSgenome.Amellifera.BeeBase.assembly4

(Amellifera), [1](#)

BSgenome.Amellifera.BeeBase.assembly4-package

(Amellifera), [1](#)

BSgenomeForge, [1](#)

DNAStrng-class, [1](#)