

# Package ‘infercnv’

April 15, 2020

**Type** Package

**Title** Infer Copy Number Variation from Single-Cell RNA-Seq Data

**Version** 1.2.1

**Date** 2019-11-14

**BugReports** <https://github.com/broadinstitute/inferCNV/issues>

**Description** Using single-cell RNA-Seq expression to visualize CNV in cells.

**biocViews** Software, CopyNumberVariation, VariantDetection, StructuralVariation, GenomicVariation, Genetics, Transcriptomics, StatisticalMethod, Bayesian, HiddenMarkovModel, SingleCell

**Depends** R(>= 3.6)

**License** BSD\_3\_clause + file LICENSE

**LazyData** TRUE

**VignetteBuilder** knitr

**Suggests** BiocStyle, knitr, rmarkdown, testthat

**RoxygenNote** 6.1.1

**NeedsCompilation** no

**SystemRequirements** JAGS 4.x.y

**Imports** graphics, grDevices, RColorBrewer, gplots, futile.logger, stats, utils, methods, ape, Matrix, fastcluster, dplyr, HiddenMarkov, ggplot2, edgeR, coin, caTools, digest, reshape, rjags, fitdistrplus, future, foreach, doParallel, BiocGenerics, SummarizedExperiment, SingleCellExperiment, tidyr, parallel, coda, gridExtra, argparse

**URL** <https://github.com/broadinstitute/inferCNV/wiki>

**Collate** 'SplatterScrape.R' 'data.R' 'inferCNV.R' 'inferCNV\_BayesNet.R' 'inferCNV\_HMM.R' 'inferCNV\_constants.R' 'inferCNV\_heatmap.R' 'inferCNV\_hidden\_spike.R' 'inferCNV\_i3HMM.R' 'inferCNV\_mask\_non\_DE.R' 'inferCNV\_meanVarSim.R' 'inferCNV\_ops.R' 'inferCNV\_simple\_sim.R' 'inferCNV\_tumor\_subclusters.R' 'inferCNV\_tumor\_subclusters.random\_smoothed\_trees.R' 'infercnv\_sampling.R' 'noise\_reduction.R' 'seurat\_interaction.R'

**git\_url** <https://git.bioconductor.org/packages/infercnv>

**git\_branch** RELEASE\_3\_10

**git\_last\_commit** a67b785

**git\_last\_commit\_date** 2019-12-06

**Date/Publication** 2020-04-14

**Author** Timothy Tickle [aut],  
Itay Tirosh [aut],  
Christophe Georgescu [aut, cre],  
Maxwell Brown [aut],  
Brian Haas [aut]

**Maintainer** Christophe Georgescu <cgeorges@broadinstitute.org>

## R topics documented:

infercnv-package . . . . .	2
add_to_seurat . . . . .	3
annots . . . . .	4
apply_median_filtering . . . . .	4
CreateInfercnvObject . . . . .	5
data . . . . .	7
filterHighPNormals . . . . .	7
genes . . . . .	8
HMM_states . . . . .	8
infercnv-class . . . . .	9
inferCNVBayesNet . . . . .	9
infercnv_obj . . . . .	11
MCMC_inferCNV-class . . . . .	11
mcmc_obj . . . . .	12
plot_cnv . . . . .	12
plot_per_group . . . . .	14
run . . . . .	16
sample_object . . . . .	20
validate_infercnv_obj . . . . .	21
<b>Index</b>	<b>22</b>

---

infercnv-package	<i>infercnv: Infer Copy Number Variation from Single-Cell RNA-Seq Data</i>
------------------	--

---

## Description

Using single-cell RNA-Seq expression to visualize CNV in cells.

## Details

The main functions you will need to use are `CreateInfercnvObject()` and `run(infercnv_object)`. For additional details on running the analysis step by step, please refer to the example vignette.

**Author(s)**

**Maintainer:** Christophe Georgescu <cgeorges@broadinstitute.org>

Authors:

- Timothy Tickle <ttickle@broadinstitute.org>
- Itay Tirosh <tirosh@broadinstitute.org>
- Maxwell Brown <mbrown@broadinstitute.org>
- Brian Haas <bhaas@broadinstitute.org>

**See Also**

Useful links:

- <https://github.com/broadinstitute/inferCNV/wiki>
- Report bugs at <https://github.com/broadinstitute/inferCNV/issues>

---

add_to_seurat	<i>add_to_seurat()</i>
---------------	------------------------

---

**Description**

Add meta.data about CNAs to a Seurat object from an infercnv\_obj

**Usage**

```
add_to_seurat(seurat_obj = NULL, infercnv_output_path, top_n = 10,  
             bp_tolerance = 2e+06)
```

**Arguments**

seurat_obj	Seurat object to add meta.data to (default: NULL)
infercnv_output_path	Path to the output folder of the infercnv run to use
top_n	How many of the largest CNA (in number of genes) to get.
bp_tolerance	How many bp of tolerance to have around feature start/end positions for top_n largest CNVs.

**Value**

seurat\_obj

---

annots	<i>Generated classification for 10 normal cells and 10 tumor cells.</i>
--------	---

---

**Description**

Generated classification for 10 normal cells and 10 tumor cells.

**Usage**

annots

**Format**

A data frame with 20 rows (cells) and 1 columns (classification)

---

apply_median_filtering	<i>apply_median_filtering</i>
------------------------	-------------------------------

---

**Description**

Apply a median filtering to the expression matrix within each tumor bounds

**Usage**

```
apply_median_filtering(infercnv_obj, window_size = 7,  
  on_observations = TRUE, on_references = TRUE)
```

**Arguments**

infercnv_obj	infercnv_object
window_size	Size of the window side centered on the data point to filter (default = 7).
on_observations	boolean (default=TRUE), run on observations data (tumor cells).
on_references	boolean (default=TRUE), run on references (normal cells).

**Value**

infercnv\_obj with median filtering applied to observations

**Examples**

```

# data(data)
# data(annots)
# data(genes)

# infercnv_obj <- infercnv::CreateInfercnvObject(raw_counts_matrix=data,
#                                               gene_order_file=genes,
#                                               annotations_file=annots,
#                                               ref_group_names=c("normal"))

# infercnv_obj <- infercnv::run(infercnv_obj,
#                               cutoff=1,
#                               out_dir=tempfile(),
#                               cluster_by_groups=TRUE,
#                               denoise=TRUE,
#                               HMM=FALSE,
#                               num_threads=2,
#                               no_plot=TRUE)

data(infercnv_object)

infercnv_obj <- infercnv::apply_median_filtering(infercnv_obj)
# plot result object

```

---

CreateInfercnvObject    *CreateInfercnvObject*

---

**Description**

Creation of an infercnv object. This requires the following inputs: A more detailed description of each input is provided below:

The `raw_counts_matrix`:

```

MGH54_P16_F12 MGH53_P5_C12 MGH54_P12_C10 MGH54_P16_F02 MGH54_P11_C11 ...
DDX11L1 0.000000 0.000000 0.000000 0.000000 0.000000 WASH7P 0.000000 2.231939 7.186235
5.284944 0.9650009 FAM138A 0.1709991 0.000000 0.000000 0.000000 0.000000 OR4F5 0.000000
0.000000 0.000000 0.000000 0.000000 OR4F29 0.000000 0.000000 0.000000 0.000000 0.000000
...

```

The `gene_order_file`, contains chromosome, start, and stop position for each gene, tab-delimited:

```

chr start stop DDX11L1 chr1 11869 14412 WASH7P chr1 14363 29806 FAM138A chr1 34554
36081 OR4F5 chr1 69091 70008 OR4F29 chr1 367640 368634 OR4F16 chr1 621059 622053 ...

```

The `annotations_file`, containing the cell name and the cell type classification, tab-delimited.

```

V1 V2 1 MGH54_P2_C12 Microglia/Macrophage 2 MGH36_P6_F03 Microglia/Macrophage 3
MGH53_P4_H08 Microglia/Macrophage 4 MGH53_P2_E09 Microglia/Macrophage 5 MGH36_P5_E12
Oligodendrocytes (non-malignant) 6 MGH54_P2_H07 Oligodendrocytes (non-malignant) ... 179
93_P9_H03 malignant 180 93_P10_D04 malignant 181 93_P8_G09 malignant 182 93_P10_B10
malignant 183 93_P9_C07 malignant 184 93_P8_A12 malignant ...

```

and the `ref_group_names` vector might look like so: `c("Microglia/Macrophage", "Oligodendrocytes (non-malignant)")`

**Usage**

```
CreateInfercnvObject(raw_counts_matrix, gene_order_file, annotations_file,
  ref_group_names, delim = "\t", max_cells_per_group = NULL,
  min_max_counts_per_cell = NULL, chr_exclude = c("chrX", "chrY",
  "chrM"))
```

**Arguments**

`raw_counts_matrix`  
the matrix of genes (rows) vs. cells (columns) containing the raw counts. If a filename is given, it'll be read via `read.table()` otherwise, if matrix or Matrix, will use the data directly.

`gene_order_file`  
data file containing the positions of each gene along each chromosome in the genome.

`annotations_file`  
a description of the cells, indicating the cell type classifications

`ref_group_names`  
a vector containing the classifications of the reference (normal) cells to use for inferring cnv

`delim`  
delimiter used in the input files

`max_cells_per_group`  
maximum number of cells to use per group. Default=NULL, using all cells defined in the `annotations_file`. This option is useful for randomly subsetting the existing data for a quicker preview run, such as using 50 cells per group instead of hundreds.

`min_max_counts_per_cell`  
minimum and maximum counts allowed per cell. Any cells outside this range will be removed from the counts matrix. default=NULL and uses all cells. If used, should be set as `c(min_counts, max_counts)`

`chr_exclude`  
list of chromosomes in the reference genome annotations that should be excluded from analysis. Default = `c('chrX', 'chrY', 'chrM')`

**Value**

`infercnv`

**Examples**

```
data(data)
data(annots)
data(genes)
```

```
infercnv_obj <- infercnv::CreateInfercnvObject(raw_counts_matrix=data,
  gene_order_file=genes,
  annotations_file=annots,
  ref_group_names=c("normal"))
```

---

data	<i>Generated SmartSeq2 expression data with 10 normal cells and 10 tumor cells. This is only to demonstrate how to use methods, not actual data to be used in an analysis.</i>
------	--

---

### Description

Generated SmartSeq2 expression data with 10 normal cells and 10 tumor cells. This is only to demonstrate how to use methods, not actual data to be used in an analysis.

### Usage

data

### Format

A data frame with 8252 rows (genes) and 20 columns (cells)

---

filterHighPNormals	<i>filterHighPNormals: Filter the HMM identified CNV's by the CNV's posterior probability of belonging to a normal state.</i>
--------------------	---

---

### Description

The following function will filter the HMM identified CNV's by the CNV's posterior probability of belonging to a normal state identified by the function inferCNVBayesNet(). Will filter CNV's based on a user desired threshold probability. Any CNV with a probability of being normal above the threshold will be removed.

### Usage

```
filterHighPNormals(MCMC_inferCNV_obj, HMM_states, BayesMaxPNormal)
```

### Arguments

MCMC_inferCNV_obj	MCMC infernCNV object.
HMM_states	InferCNV object with HMM states in expression data.
BayesMaxPNormal	Option to filter CNV or cell lines by some probability threshold.

### Value

Returns a list of (MCMC\_inferCNV\_obj, HMM\_states) With removed CNV's.

**Examples**

```
data(mcmc_obj)

mcmc_obj_hmm_states_list <- infercnv::filterHighPNormals( MCMC_inferCNV_obj = mcmc_obj,
                                                         HMM_states          = HMM_states,
                                                         BayesMaxPNormal    = 0.5)
```

---

genes	<i>Downsampled gene coordinates file from GrCh37</i>
-------	--

---

**Description**

Downsampled gene coordinates file from GrCh37

**Usage**

genes

**Format**

A data frame with 10338 rows (genes) and 3 columns (chr, start, end)

---

HMM_states	<i>infercnv object result of the processing of run() in the HMM example, to be used for other examples.</i>
------------	---

---

**Description**

infercnv object result of the processing of run() in the HMM example, to be used for other examples.

**Usage**

HMM\_states

**Format**

An infercnv object containing HMM predictions



---

infercnv-class	<i>The infercnv Class</i>
----------------	---------------------------

---

### Description

An infercnv object encapsulates the expression data and gene chromosome ordering information that is leveraged by infercnv for data exploration. The infercnv object is passed among the infercnv data processing and plotting routines.

### Details

Slots in the infercnv object include:

### Slots

expr.data <matrix> the count or expression data matrix, manipulated throughout infercnv ops  
 count.data <matrix> retains the original count data, but shrinks along with expr.data when genes are removed.  
 gene\_order <data.frame> chromosomal gene order  
 reference\_grouped\_cell\_indices <list> mapping [['group\_name']] to c(cell column indices) for reference (normal) cells  
 observation\_grouped\_cell\_indices <list> mapping [['group\_name']] to c(cell column indices) for observation (tumor) cells  
 tumor\_subclusters <list> stores subclustering of tumors if requested  
 options <list> stores the options relevant to the analysis in itself (in contrast with options relevant to plotting or paths)  
 .hspike a hidden infercnv object populated with simulated spiked-in data

---

inferCNVBayesNet	<i>inferCNVBayesNet: Run Bayesian Network Mixture Model To Obtain Posterior Probabilities For HMM Predicted States</i>
------------------	--

---

### Description

Uses Markov Chain Monte Carlo (MCMC) and Gibbs sampling to estimate the posterior probability of being in one of six Copy Number Variation states (states: 0, 0.5, 1, 1.5, 2, 3) for CNV's identified by inferCNV's HMM. Posterior probabilities are found for the entire CNV cluster and each individual cell line in the CNV.

### Usage

```
inferCNVBayesNet(file_dir, infercnv_obj, HMM_states, out_dir,
  resume_file_token, model_file = NULL, CORES = 1,
  postMcmcMethod = NULL, plottingProbs = TRUE, quietly = TRUE,
  diagnostics = FALSE, HMM_type = HMM_type,
  k_obs_groups = k_obs_groups, cluster_by_groups = cluster_by_groups,
  reassignCNVs = TRUE, no_plot = no_plot)
```

**Arguments**

<code>file_dir</code>	Location of the directory of the inferCNV outputs.
<code>infercnv_obj</code>	InferCNV object.
<code>HMM_states</code>	InferCNV object with HMM states in expression data.
<code>out_dir</code>	(string) Path to where the output file should be saved to.
<code>resume_file_token</code>	(string) String token that contains some info on settings used to name files.
<code>model_file</code>	Path to the BUGS Model file.
<code>CORES</code>	Option to run parallel by specifying the number of cores to be used. (Default: 1)
<code>postMcmcMethod</code>	What actions to take after finishing the MCMC.
<code>plottingProbs</code>	Option for adding plots of Cell and CNV probabilities. (Default: TRUE)
<code>quietly</code>	Option to print descriptions along each step. (Default: TRUE)
<code>diagnostics</code>	Option to plot Diagnostic plots and tables. (Default: FALSE)
<code>HMM_type</code>	The type of HMM that was ra, either 'i3' or 'i6'. Determines how many state were predicted by the HMM.
<code>k_obs_groups</code>	Number of groups in which to break the observations. (default: 1)
<code>cluster_by_groups</code>	If observations are defined according to groups (ie. patients), each group of cells will be clustered separately. (default=FALSE, instead will use <code>k_obs_groups</code> setting)
<code>reassignCNVs</code>	(boolean) Given the CNV associated probability of belonging to each possible state, reassign the state assignments made by the HMM to the state that has the highest probability. (default: TRUE)
<code>no_plot</code>	(boolean) Option set by <code>infercnv::run()</code> for producing visualizations.

**Value**

Returns a `MCMC_inferCNV_obj` and posterior probability of being in one of six Copy Number Variation states (states: 0, 0.5, 1, 1.5, 2, 3) for CNV's identified by inferCNV's HMM.

**Examples**

```

data(data)
data(annots)
data(genes)
data(HMM_states)

infercnv_obj <- infercnv::CreateInfercnvObject(raw_counts_matrix=data,
                                             gene_order_file=genes,
                                             annotations_file=annots,
                                             ref_group_names=c("normal"))

out_dir = tempfile()
infercnv_obj <- infercnv::run(infercnv_obj,
                             cutoff=1,
                             out_dir=out_dir,
                             cluster_by_groups=TRUE,
                             denoise=TRUE,
                             HMM=TRUE,

```

```

                                num_threads=2,
                                no_plot=TRUE)
mcmc_obj <- infercnv::inferCNVBayesNet( infercnv_obj = infercnv_obj,
                                HMM_states      = HMM_states,
                                file_dir       = out_dir,
                                postMcmcMethod = "removeCNV",
                                out_dir       = out_dir,
                                resume_file_token = "HMMi6.hmm_mode-samples",
                                quietly      = TRUE,
                                CORES        = 2,
                                plottingProbs = FALSE,
                                diagnostics   = FALSE,
                                HMM_type     = 'i6',
                                k_obs_groups  = 1,
                                cluster_by_groups = FALSE,
                                reassignCNVs  = FALSE,
                                no_plot     = TRUE)

```

---

infercnv_obj	<i>infercnv object result of the processing of run() in the example, to be used for other examples.</i>
--------------	---

---

### Description

infercnv object result of the processing of run() in the example, to be used for other examples.

### Usage

```
infercnv_obj
```

### Format

An infercnv object

---

MCMC_inferCNV-class	<i>MCMC_inferCNV class</i>
---------------------	----------------------------

---

### Description

Uses Markov Chain Monte Carlo (MCMC) and Gibbs sampling to estimate the posterior probability of being in one of six Copy Number Variation states (states: 0, 0.5, 1, 1.5, 2, 3) for CNV's identified by inferCNV's HMM. Posterior probabilities are found for the entire CNV cluster and each individual cell line in the CNV.

**Slots**

bugs\_model BUGS model.

sig fitted values for cell lines, 1/standard deviation to be used for determining the distribution of each cell line

mu Mean values to be used for determining the distribution of each cell line

group\_id ID's given to the cell clusters.

cell\_gene List containing the Cells and Genes that make up each CNV.

cnv\_probabilities Probabilities of each CNV belonging to a particular state from 0 (least likely) to 1 (most likely).

cell\_probabilities Probabilities of each cell being in a particular state, from 0 (least likely) to 1 (most likely).

args Input arguments given by the user

cnv\_regions ID for each CNV found by the HMM

States States that are identified and (depending on posterior MCMC input methods) modified.

---

mcmc_obj	<i>infercnv object result of the processing of inferCNVBayesNet in the example, to be used for other examples.</i>
----------	--

---

**Description**

infercnv object result of the processing of inferCNVBayesNet in the example, to be used for other examples.

**Usage**

mcmc\_obj

**Format**

An infercnv object containing posterior probability of CNV states

---

plot_cnv	<i>Plot the matrix as a heatmap, with cells as rows and genes as columns, ordered according to chromosome</i>
----------	---

---

**Description**

Formats the data and sends it for plotting.

**Usage**

```
plot_cnv(infercnv_obj, out_dir = ".", title = "inferCNV",
  obs_title = "Observations (Cells)", ref_title = "References (Cells)",
  cluster_by_groups = TRUE, cluster_references = TRUE,
  k_obs_groups = 3, contig_cex = 1,
  x.center = mean(infercnv_obj@expr.data), x.range = "auto",
  hclust_method = "ward.D", color_safe_pal = FALSE,
  output_filename = "infercnv", output_format = "png", png_res = 300,
  dynamic_resize = 0, ref_contig = NULL, write_expr_matrix = FALSE,
  useRaster = TRUE)
```

**Arguments**

infercnv_obj	infercnv object
out_dir	Directory in which to save pdf and other output.
title	Plot title.
obs_title	Title for the observations matrix.
ref_title	Title for the reference matrix.
cluster_by_groups	Whether to cluster observations by their annotations or not. Using this ignores k_obs_groups.
cluster_references	Whether to cluster references within their annotations or not. (dendrogram not displayed)
k_obs_groups	Number of groups to break observation into.
contig_cex	Contig text size.
x.center	Value on which to center expression.
x.range	vector containing the extreme values in the heatmap (ie. c(-3,4) )
hclust_method	Clustering method to use for hclust.
color_safe_pal	Logical indication of using a color blindness safe palette.
output_filename	Filename to save the figure to.
output_format	format for heatmap image file (default: 'png'), options('png', 'pdf', NA) If set to NA, will print graphics natively
png_res	Resolution for png output.
dynamic_resize	Factor (>= 0) by which to scale the dynamic resize of the observation heatmap and the overall plot based on how many cells there are. Default is 0, which disables the scaling. Try 1 first if you want to enable.
ref_contig	If given, will focus cluster on only genes in this contig.
write_expr_matrix	Includes writing a matrix file containing the expression data that is plotted in the heatmap.
useRaster	Whether to use rasterization for drawing heatmap. Only disable if it produces an error as it is much faster than not using it.

**Value**

A list of all relevant settings used for the plotting to be able to reuse them in another plot call while keeping consistent plotting settings, most importantly x.range.

**Examples**

```

# data(data)
# data(annots)
# data(genes)

# infercnv_obj <- infercnv::CreateInfercnvObject(raw_counts_matrix=data,
#                                               gene_order_file=genes,
#                                               annotations_file=annots,
#                                               ref_group_names=c("normal"))

# infercnv_obj <- infercnv::run(infercnv_obj,
#                               cutoff=1,
#                               out_dir=tempfile(),
#                               cluster_by_groups=TRUE,
#                               denoise=TRUE,
#                               HMM=FALSE,
#                               num_threads=2,
#                               no_plot=TRUE)

data(infercnv_object)

plot_cnv(infercnv_obj,
         out_dir=tempfile(),
         obs_title="Observations (Cells)",
         ref_title="References (Cells)",
         cluster_by_groups=TRUE,
         x.center=1,
         x.range="auto",
         hclust_method='ward.D',
         color_safe_pal=FALSE,
         output_filename="infercnv",
         output_format="png",
         png_res=300,
         dynamic_resize=0
        )

```

---

plot\_per\_group

*plot\_per\_group*


---

**Description**

Takes an infercnv object and subdivides it into one object per group of cells to allow plotting of each group on a separate plot. If references are selected, they will appear on the observation heatmap area as it is larger.

**Usage**

```

plot_per_group(infercnv_obj, on_references = TRUE,
              on_observations = TRUE, sample = FALSE, n_cells = 1000,
              every_n = NULL, above_m = 1000,
              base_filename = "infercnv_per_group", output_format = "png",
              write_expr_matrix = TRUE, save_objects = FALSE, png_res = 300,
              dynamic_resize = 0, out_dir)

```



```
# denoise=TRUE,
# HMM=FALSE,
# num_threads=2,
# no_plot=TRUE)

data(infercnv_object)

infercnv::plot_per_group(infercnv_obj, out_dir=tempfile())
```

---

run	<i>run()</i> : Invokes a routine inferCNV analysis to Infer CNV changes given a matrix of RNASeq counts.
-----	--

---

## Description

Function doing the actual analysis before calling the plotting functions.

## Usage

```
run(infercnv_obj, cutoff = 1, min_cells_per_gene = 3, out_dir = NULL,
    window_length = 101, smooth_method = c("pyramidal", "runmeans",
    "coordinates"), num_ref_groups = NULL,
    ref_subtract_use_mean_bounds = TRUE, cluster_by_groups = FALSE,
    cluster_references = TRUE, k_obs_groups = 1,
    hclust_method = "ward.D2", max_centered_threshold = 3,
    scale_data = FALSE, HMM = FALSE, HMM_transition_prob = 1e-06,
    HMM_report_by = c("subcluster", "consensus", "cell"),
    HMM_type = c("i6", "i3"), HMM_i3_pval = 0.05, HMM_i3_use_KS = TRUE,
    BayesMaxPNormal = 0.5, sim_method = "meanvar",
    sim_foreground = FALSE, reassignCNVs = TRUE,
    analysis_mode = c("samples", "subclusters", "cells"),
    tumor_subcluster_partition_method = c("random_trees", "qnorm",
    "pheight", "qgamma", "shc"), tumor_subcluster_pval = 0.1,
    denoise = FALSE, noise_filter = NA, sd_amplifier = 1.5,
    noise_logistic = FALSE, outlier_method_bound = "average_bound",
    outlier_lower_bound = NA, outlier_upper_bound = NA,
    final_scale_limits = NULL, final_center_val = NULL, debug = FALSE,
    num_threads = 4, plot_steps = FALSE, resume_mode = TRUE,
    png_res = 300, plot_probabilities = TRUE, diagnostics = FALSE,
    remove_genes_at_chr_ends = FALSE, prune_outliers = FALSE,
    mask_nonDE_genes = FALSE, mask_nonDE_pval = 0.05,
    test.use = "wilcoxon", require_DE_all_normals = "any",
    hspike_aggregate_normals = FALSE, no_plot = FALSE,
    no_prelim_plot = FALSE, output_format = "png", useRaster = TRUE,
    up_to_step = 100)
```

## Arguments

infercnv_obj	An infercnv object populated with raw count data
cutoff	Cut-off for the min average read counts per gene among reference cells. (default: 1)



```

min_cells_per_gene      minimum number of reference cells requiring expression measurements to include the corresponding gene. default: 3

out_dir                 path to directory to deposit outputs (default: NULL, required to provide non NULL)
                        ## Smoothing params

window_length          Length of the window for the moving average (smoothing). Should be an odd integer. (default: 101)#'

smooth_method           Method to use for smoothing: c(runmeans,pyramidal,coordinates) default: pyramidal
                        #####

num_ref_groups          The number of reference groups or a list of indices for each group of reference indices in relation to reference_obs. (default: NULL)

ref_subtract_use_mean_bounds
                        Determine means separately for each ref group, then remove intensities within bounds of means (default: TRUE) Otherwise, uses mean of the means across groups.
                        #####

cluster_by_groups       If observations are defined according to groups (ie. patients), each group of cells will be clustered separately. (default=FALSE, instead will use k_obs_groups setting)

cluster_references      Whether to cluster references within their annotations or not. (dendrogram not displayed) (default: TRUE)

k_obs_groups            Number of groups in which to break the observations. (default: 1)

hclust_method           Method used for hierarchical clustering of cells. Valid choices are: "ward.D", "ward.D2", "single", "complete", "average", "mcquitty", "median", "centroid". default("ward.D2")

max_centered_threshold
                        The maximum value a value can have after centering. Also sets a lower bound of -1 * this value. (default: 3), can set to a numeric value or "auto" to bound by the mean bounds across cells. Set to NA to turn off.

scale_data              perform Z-scaling of logtransformed data (default: FALSE). This may be turned on if you have very different kinds of data for your normal and tumor samples. For example, you need to use GTEx representative normal expression profiles rather than being able to leverage normal single cell data that goes with your experiment.
                        #####
                        ## Downstream Analyses (HMM or non-DE-masking) based on tumor subclusters

HMM                     when set to True, runs HMM to predict CNV level (default: FALSE)

HMM_transition_prob     transition probability in HMM (default: 1e-6)

HMM_report_by           cell, consensus, subcluster (default: subcluster) Note, reporting is performed entirely separately from the HMM prediction. So, you can predict on subclusters, but get per-cell level reporting (more voluminous output).

```

HMM\_type HMM model type. Options: (i6 or i3): i6: infercnv 6-state model (0, 0.5, 1, 1.5, 2, >2) where state emissions are calibrated based on simulated CNV levels. i3: infercnv 3-state model (del, neutral, amp) configured based on normal cells and HMM\_i3\_pval

HMM\_i3\_pval p-value for HMM i3 state overlap (default: 0.05)

HMM\_i3\_use\_KS boolean: use the KS test statistic to estimate mean of amp/del distributions (ala HoneyBadger). (default=TRUE)  
## Filtering low-conf HMM preds via BayesNet P(Normal)

BayesMaxPNormal maximum P(Normal) allowed for a CNV prediction according to BayesNet. (default=0.5, note zero turns it off)

sim\_method method for calibrating CNV levels in the i6 HMM (default: 'meanvar')

sim\_foreground don't use... for debugging, developer option.

reassignCNVs (boolean) Given the CNV associated probability of belonging to each possible state, reassign the state assignments made by the HMM to the state that has the highest probability. (default: TRUE)  
##### ## Tumor subclustering

analysis\_mode options(samples|subclusters|cells), Grouping level for image filtering or HMM predictions. default: samples (fastest, but subclusters is ideal)

tumor\_subcluster\_partition\_method method for defining tumor subclusters. Options('random\_trees', 'qnorm') random\_trees: (default) slow but best. Uses permutation statistics w/ tree construction. qnorm: defines tree height based on the quantile defined by the tumor\_subcluster\_pval

tumor\_subcluster\_pval max p-value for defining a significant tumor subcluster (default: 0.1)  
##### ## de-noising parameters #####

denoise If True, turns on denoising according to options below

noise\_filter Values +/- from the reference cell mean will be set to zero (whitening effect) default(NA, instead will use sd\_amplifier below.

sd\_amplifier Noise is defined as mean(reference\_cells) +/- sdev(reference\_cells) \* sd\_amplifier default: 1.5

noise\_logistic use the noise\_filter or sd\_amplifier based threshold (whichever is invoked) as the midpoint in a logistic model for downscaling values close to the mean. (default: FALSE)  
##### ## Outlier pruning

outlier\_method\_bound Method to use for bounding outlier values. (default: "average\_bound") Will preferentially use outlier\_lower\_bound and outlier\_upper\_bound if set.

outlier\_lower\_bound Outliers below this lower bound will be set to this value.

outlier\_upper\_bound Outliers above this upper bound will be set to this value.  
##### ## Misc options

final\_scale\_limits The scale limits for the final heatmap output by the run() method. Default "auto". Alt, c(low,high)

```

final_center_val
    Center value for final heatmap output by the run() method.
debug
    If true, output debug level logging.
num_threads
    (int) number of threads for parallel steps (default: 4)
plot_steps
    If true, saves infercnv objects and plots data at the intermediate steps.
resume_mode
    leverage pre-computed and stored infercnv objects where possible. (default=TRUE)
png_res
    Resolution for png output.
plot_probabilities
    option to plot posterior probabilities (default: TRUE)
diagnostics
    option to create diagnostic plots after running the Bayesian model (default:
    FALSE)
##### ## Experimental options
remove_genes_at_chr_ends
    experimental option: If true, removes the window_length/2 genes at both ends
    of the chromosome.
prune_outliers
    Define outliers loosely as those that exceed the mean boundaries among all cells.
    These are set to the bounds.
    ## experimental opts involving DE analysis
mask_nonDE_genes
    If true, sets genes not significantly differentially expressed between tumor/normal
    to the mean value for the complete data set (default: 0.05)
mask_nonDE_pval
    p-value threshold for defining statistically significant DE genes between tu-
    mor/normal
test.use
    statistical test to use. (default: "wilcoxon") alternatives include 'perm' or 't'.
require_DE_all_normals
    If mask_nonDE_genes is set, those genes will be masked only if they are
    found as DE according to test.use and mask_nonDE_pval in each of the com-
    parisons to normal cells options: "any", "most", "all" (default: "any")
    other experimental opts
hspike_aggregate_normals
    instead of trying to model the different normal groupings individually, just merge
    them in the hspike.
no_plot
    don't make any of the images. Instead, generate all non-image outputs as part
    of the run. (default: FALSE)
no_prelim_plot
    don't make the preliminary infercnv image (default: FALSE)
output_format
    Output format for the figure. Choose between "png", "pdf" and NA. NA means
    to only write the text outputs without generating the figure itself. (default:
    "png")
useRaster
    Whether to use rasterization for drawing heatmap. Only disable if it produces
    an error as it is much faster than not using it. (default: TRUE)
up_to_step
    run() only up to this exact step number (default: 100 » 23 steps currently in the
    process)

```

**Value**

infercnv\_obj containing filtered and transformed data

**Examples**

```

data(data)
data(annots)
data(genes)

infercnv_obj <- infercnv::CreateInfercnvObject(raw_counts_matrix=data,
                                              gene_order_file=genes,
                                              annotations_file=annots,
                                              ref_group_names=c("normal"))

infercnv_obj <- infercnv::run(infercnv_obj,
                             cutoff=1,
                             out_dir=tempfile(),
                             cluster_by_groups=TRUE,
                             denoise=TRUE,
                             HMM=FALSE,
                             num_threads=2,
                             no_plot=TRUE)

```

---

sample_object	<i>sample_object</i>
---------------	----------------------

---

**Description**

Apply sampling on an infercnv object to reduce the number of cells in it and allow faster plotting or have all groups take up the same height on the heatmap

**Usage**

```

sample_object(infercnv_obj, n_cells = 100, every_n = NULL,
             above_m = NULL, on_references = TRUE, on_observations = TRUE)

```

**Arguments**

infercnv_obj	infercnv_object
n_cells	Number of cells that should be sampled per group (default = 100).
every_n	Sample 1 cell every_n cells for each group. If subclusters are defined, this will make sure that at least one cell per subcluster is sampled. Requires above_m to be set to work, overriding n_cells parameter.
above_m	Sample groups that have at least above_m cells. Requires every_n to be set to work, overriding n_cells parameter
on_references	boolean (default=TRUE), sample references (normal cells).
on_observations	boolean (default=TRUE), sample observations data (tumor cells).

**Value**

sampled infercnv\_obj

**Examples**

```
# data(data)
# data(annots)
# data(genes)

# infercnv_obj <- infercnv::CreateInfercnvObject(raw_counts_matrix=data,
#                                               gene_order_file=genes,
#                                               annotations_file=annots,
#                                               ref_group_names=c("normal"))

# infercnv_obj <- infercnv::run(infercnv_obj,
#                              cutoff=1,
#                              out_dir=tempfile(),
#                              cluster_by_groups=TRUE,
#                              denoise=TRUE,
#                              HMM=FALSE,
#                              num_threads=2,
#                              no_plot=TRUE)

data(infercnv_object)

infercnv_obj <- infercnv::sample_object(infercnv_obj, n_cells=5)
# plot result object
```

---

```
validate_infercnv_obj  validate_infercnv_obj()
```

---

**Description**

validate an infercnv\_obj ensures that order of genes in the @gene\_order slot match up perfectly with the gene rows in the @expr.data matrix. Otherwise, throws an error and stops execution.

**Usage**

```
validate_infercnv_obj(infercnv_obj)
```

**Arguments**

```
infercnv_obj  infercnv_object
```

**Value**

```
none
```

# Index

## \*Topic **classes**

MCMC\_inferCNV-class, 11

## \*Topic **datasets**

annots, 4

data, 7

genes, 8

HMM\_states, 8

infercnv\_obj, 11

mcmc\_obj, 12

\_PACKAGE (infercnv-package), 2

add\_to\_seurat, 3

annots, 4

apply\_median\_filtering, 4

CreateInfercnvObject, 5

data, 7

filterHighPNormals, 7

genes, 8

HMM\_states, 8

infercnv (infercnv-class), 9

infercnv-class, 9

infercnv-package, 2

infercnv\_obj, 11

inferCNVBayesNet, 9

MCMC\_inferCNV (MCMC\_inferCNV-class), 11

MCMC\_inferCNV-class, 11

mcmc\_obj, 12

plot\_cnv, 12

plot\_per\_group, 14

run, 16

sample\_object, 20

validate\_infercnv\_obj, 21