

Package ‘MouseFM’

February 15, 2021

Type Package

Title In-silico methods for genetic finemapping in inbred mice

Version 1.0.0

Description This package provides methods for genetic finemapping in inbred mice by taking advantage of their very high homozygosity rate (>95%).

Encoding UTF-8

LazyData false

BugReports <https://github.com/matmu/MouseFM/issues>

Depends R (>= 4.0.0)

License GPL-3

VignetteBuilder knitr

biocViews Genetics, SNP, GeneTarget, VariantAnnotation, GenomicVariation, MultipleComparison, SystemsBiology, MathematicalBiology, PatternLogic, GenePrediction, BiomedicalInformatics, FunctionalGenomics

Suggests BiocStyle, testthat, knitr, rmarkdown

Imports httr, curl, GenomicRanges, dplyr, ggplot2, reshape2, scales, gtools, tidyr, data.table, jsonlite, rlist, GenomeInfoDb, methods, biomaRt, stats, IRanges

RoxygenNote 7.1.0

git_url <https://git.bioconductor.org/packages/MouseFM>

git_branch RELEASE_3_12

git_last_commit b63d244

git_last_commit_date 2020-10-27

Date/Publication 2021-02-14

Author Matthias Munz [aut, cre] (<<https://orcid.org/0000-0002-4728-3357>>), Inken Wohlers [aut] (<<https://orcid.org/0000-0003-4004-0464>>), Hauke Busch [aut] (<<https://orcid.org/0000-0003-4763-4521>>)

Maintainer Matthias Munz <matthias.munz@gmx.de>

R topics documented:

annotate_consequences	2
annotate_mouse_genes	3
avail_chromosomes	3
avail_consequences	4
avail_strains	4
df2GRanges	5
fetch	6
finemap	6
getURL	8
get_top	8
GRanges2df	9
prio	9
ref_genome	10
setURL	11
vis_reduction_factors	11

Index	13
--------------	-----------

annotate_consequences *Annotate with consequences*

Description

Request variant consequences from Variant Effect Predictor (VEP) via Ensembl Rest Service. Not recommended for large queries.

Usage

```
annotate_consequences(geno, species)
```

Arguments

geno	Data frame or GenomicRanges::GRanges object including columns rsid, ref, alt.
species	Species name, e.g. mouse (GRCm38) or human (GRCh38).

Value

Data frame.

Examples

```
geno = finemap("chr1",
  start = 5000000, end = 6000000,
  strain1 = c("C57BL_6J"), strain2 = c("AKR_J", "A_J", "BALB_cJ")
)

df = annotate_consequences(geno[seq_len(10), ], "mouse")

geno.granges = finemap("chr1",
  start = 5000000, end = 6000000,
  strain1 = c("C57BL_6J"), strain2 = c("AKR_J", "A_J", "BALB_cJ"),
```

```

    return_obj = "granges"
  )

  df2 = annotate_consequences(geno.granges[seq_len(10), ], "mouse")

```

annotate_mouse_genes *Annotate with genes*

Description

Request mouse genes from Ensembl Biomart.

Usage

```
annotate_mouse_genes(geno, flanking = NULL)
```

Arguments

geno	Data frame or GenomicRanges::GRanges object including columns chr, pos.
flanking	Size of flanking sequence to be included.

Value

Data frame.

Examples

```

geno = finemap("chr1",
  start = 5000000, end = 6000000,
  strain1 = c("C57BL_6J"), strain2 = c("AKR_J", "A_J", "BALB_cJ")
)

genes = annotate_mouse_genes(geno, 50000)

```

avail_chromosomes *Available chromosomes*

Description

Available mouse chromosomes.

Usage

```
avail_chromosomes()
```

Value

Data frame

Examples

```
avail_chromosomes()
```

avail_consequences	<i>Available consequences</i>
--------------------	-------------------------------

Description

Available consequence and impact types.

Usage

```
avail_consequences()
```

Value

Data frame.

Examples

```
avail_consequences()$consequence  
unique(avail_consequences()$impact)
```

avail_strains	<i>Available strains</i>
---------------	--------------------------

Description

There are 37 strains available.

Usage

```
avail_strains()
```

Value

Data frame.

Examples

```
avail_strains()
```

df2GRanges	<i>Data frame to GenomicRanges::GRanges object</i>
------------	----------------------------------------------------

Description

Wrapper for `GenomicRanges::makeGRangesFromDataFrame()`.

Usage

```
df2GRanges(
  geno,
  chr_name = "chr",
  start_name = "pos",
  end_name = "pos",
  strand_name = NULL,
  ref_version = ref_genome(),
  seq_lengths = NULL,
  is_circular = FALSE
)
```

Arguments

<code>geno</code>	Data frame.
<code>chr_name</code>	Name of chromosome column. Default is 'chr'.
<code>start_name</code>	Name of start position column. Default is 'pos'.
<code>end_name</code>	Name of end position column. Default is 'pos'.
<code>strand_name</code>	Name of end position column. Default is NULL.
<code>ref_version</code>	Reference genome version. Default is 'ref_genome()'.
<code>seq_lengths</code>	List of sequence lengths with sequence name as key. Default is NULL.
<code>is_circular</code>	Whether genome is circular. Default is FALSE.

Value

`GenomicRanges::GRanges` object.

Examples

```
geno = finemap("chr1",
  start = 5000000, end = 6000000,
  strain1 = c("C57BL_6J"), strain2 = c("AKR_J", "A_J", "BALB_cJ")
)

geno$strand = "+"
seq_lengths = stats::setNames(
  as.list(avail_chromosomes())$length,
  avail_chromosomes())$chr
)

geno.granges = df2GRanges(geno,
  strand_name = "strand",
  seq_lengths = seq_lengths
)
```

fetch	<i>Fetch</i>
-------	--------------

Description

Fetch homozygous genotypes for a specified chromosomal region in 37 inbred mouse strains.

Usage

```
fetch(
  chr,
  start = NULL,
  end = NULL,
  consequence = NULL,
  impact = NULL,
  return_obj = "dataframe"
)
```

Arguments

chr	Vector of chromosome names.
start	Optional vector of chromosomal start positions of target regions (GRCm38).
end	Optional vector of chromosomal end positions of target regions (GRCm38).
consequence	Optional vector of consequence types.
impact	Optional vector of impact types.
return_obj	The user can choose to get the result to be returned as data frame ("dataframe") or as a GenomicRanges::GRanges ("granges") object. Default value is "dataframe".

Value

Data frame or GenomicRanges::GRanges object containing result data.

Examples

```
geno = fetch("chr7", start = 5000000, end = 6000000)
comment(geno)
```

finemap	<i>Finemapping of genetic regions</i>
---------	---------------------------------------

Description

Finemapping of genetic regions in 37 inbred mice by taking advantage of their very high homozygosity rate (>95 chromosomal regions (GRCm38), this method extracts homozygous SNVs for which the allele differs between two sets of strains (e.g. case vs controls) and outputs respective causal SNV/gene candidates.

Usage

```

finemap(
  chr,
  start = NULL,
  end = NULL,
  strain1,
  strain2,
  consequence = NULL,
  impact = NULL,
  thr1 = 0,
  thr2 = 0,
  return_obj = "dataframe"
)

```

Arguments

chr	Vector of chromosome names.
start	Optional vector of chromosomal start positions of target regions (GRCm38).
end	Optional vector of chromosomal end positions of target regions (GRCm38).
strain1	First strain set with strains from avail_strains().
strain2	Second strain set with strains from avail_strains().
consequence	Optional vector of consequence types.
impact	Optional vector of impact types.
thr1	Number discordant strains in strain1. Between 0 and length(strain1)-1. 0 by default.
thr2	Number discordant strains in strain2. Between 0 and length(strain2)-1. 0 by default.
return_obj	The user can choose to get the result to be returned as data frame ("dataframe") or as a GenomicRanges::GRanges ("granges") object. Default value is "dataframe".

Value

Data frame or GenomicRanges::GRanges object containing result data.

Examples

```

geno = finemap("chr1",
  start = 5000000, end = 6000000,
  strain1 = c("C57BL_6J"), strain2 = c(
    "129S1_SvImJ", "129S5SvEvBrd",
    "AKR_J"
  )
)

comment(geno)

```

getUrl	<i>Get backend service url</i>
--------	--------------------------------

Description

Get backend service URL. Default: `http://mousefm.genehopper.de/rest/finemap/`

Usage

```
getUrl()
```

Value

URL string.

Examples

```
getUrl()
```

get_top	<i>Best strain combinations</i>
---------	---------------------------------

Description

Get best strain combinations

Usage

```
get_top(red, n_top)
```

Arguments

red	Reduction factors data frame.
n_top	Number of combinations to be returned.

Value

Data frame

Examples

```
l = prio("chr1",
  start = 5000000, end = 6000000,
  strain1 = "C57BL_6J", strain2 = "AKR_J"
)

get_top(l$reduction, 3)
```

GRanges2df

GenomicRanges::GRanges object to data frame

Description

Wrapper for `as.data.frame()`.

Usage

```
GRanges2df(granges)
```

Arguments

`granges` `GenomicRanges::GRanges` object

Value

Data frame.

Examples

```
geno.granges = finemap("chr1",
  start = 5000000, end = 6000000,
  strain1 = c("C57BL_6J"), strain2 = c("AKR_J", "A_J", "BALB_cJ"),
  return_obj = "granges"
)

geno = GRanges2df(geno.granges)
```

prio

Prioritization of inbred mouse strains for refining genetic regions

Description

This method allows to select strain combinations which best refine a specified genetic region (GRCm38). E.g. if a crossing experiment with two inbred mouse strains 'strain1' and 'strain2' resulted in a QTL, the outputted strain combinations can be used to refine the respective region in further crossing experiments.

Usage

```
prio(
  chr,
  start = NULL,
  end = NULL,
  strain1 = NULL,
  strain2 = NULL,
  consequence = NULL,
  impact = NULL,
  min_strain_benef = 0.1,
  max_set_size = 3,
  return_obj = "dataframe"
)
```

Arguments

chr	Vector of chromosome names.
start	Optional vector of chromosomal start positions of target regions (GRCm38).
end	Optional vector of chromosomal end positions of target regions (GRCm38).
strain1	First strain set with strains from avail_strains().
strain2	Second strain set with strains from avail_strains().
consequence	Optional vector of consequence types.
impact	Optional vector of impact types.
min_strain_benef	Minimum reduction factor (min) of a single strain.
max_set_size	Maximum set of strains.
return_obj	The user can choose to get the result to be returned as data frame ("dataframe") or as a GenomicRanges::GRanges ("granges") object. Default value is "data frame".

Value

Data frame

Examples

```
res = prio("chr1",
  start = 5000000, end = 6000000, strain1 = "C57BL_6J",
  strain2 = "AKR_J"
)

comment(res$genotypes)
```

ref_genome

Reference genome version

Description

Returns version of reference genome used in package MouseFM.

Usage

```
ref_genome()
```

Value

Vector.

Examples

```
ref_genome()
```

setURL	<i>Set backend service url</i>
--------	--------------------------------

Description

Set backend service URL. Default: <http://mousefm.genehopper.de/rest/finemap/>

Usage

```
setURL(url)
```

Arguments

url	URL of backend service.
-----	-------------------------

Value

No return value.

Examples

```
setURL("http://backendserver.com")
```

vis_reduction_factors	<i>Visualize</i>
-----------------------	------------------

Description

Visualize reduction factors

Usage

```
vis_reduction_factors(geno, red, n_top)
```

Arguments

geno	Genotype data frame or GenomicRanges::GRanges object.
red	Reduction factor data frame.
n_top	Number of combinations to be returned.

Value

Data frame

Examples

```
l = prio(c("chr1", "chr2"),
        start = c(5000000, 5000000),
        end = c(6000000, 6000000), strain1 = c("C3H_HeH"), strain2 = "AKR_J"
        )

plots = vis_reduction_factors(l$genotypes, l$reduction, 2)

plots[[1]]
plots[[2]]
```

Index

[annotate_consequences](#), [2](#)
[annotate_mouse_genes](#), [3](#)
[avail_chromosomes](#), [3](#)
[avail_consequences](#), [4](#)
[avail_strains](#), [4](#)

[df2GRanges](#), [5](#)

[fetch](#), [6](#)
[finemap](#), [6](#)

[get_top](#), [8](#)
[getURL](#), [8](#)
[GRanges2df](#), [9](#)

[prio](#), [9](#)

[ref_genome](#), [10](#)

[setURL](#), [11](#)

[vis_reduction_factors](#), [11](#)